

A woman with dark hair in a bun is relaxing in a Lay-Z-Spa hot tub. She is leaning her arms on the edge of the tub, which has a grey marbled pattern. The background shows a garden with a white sofa, potted plants, and a brick wall.

LAY-Z-SPA®

2024 COLLECTION

LAY-Z-SPA.
SAN FRANCISCO

Bestway

IN PARTNERSHIP WITH
WILTON BRADLEY LTD



TIME TO RELAX

Lay-Z-Spa® provides an affordable luxury lifestyle with a sociable environment to relax and unwind.

Available in a variety of different shapes, sizes, styles and materials, there is something for everyone. Setting up is easy, which means you can inflate, fill up and begin to enjoy the soothing massage system and 40°C water in next to no time.

The entire collection comes with a range of premium features as standard. This includes insulating inflatable lids, digital pumps with built-in drinks holders, a power-saving timer and Freeze Shield™ technology so you can use the hot tub all year round.

Explore our 2024 catalogue and find out why you should choose Lay-Z-Spa®.



CONTENTS

- Collection 02-03
- What Sets Us Apart 04
- Premium Portable Spa™
& Lay-Z-Spa® Wi-fi App. 05
- Massage & Construction 06
- Setup & Maintenance. 07

AIRJET™

- AirJet™ 08
- Miami AirJet™ 09
- Cancun AirJet™ 10
- Boracay AirJet™ 11
- Zurich AirJet™ 12
- Vegas AirJet™ 13
- Paris AirJet™ 14
- Hollywood AirJet™ 15
- Hawaii AirJet™ 16
- St. Moritz AirJet™ 17
- Mauritius AirJet™ 18

AIRJET PLUS™

- AirJet Plus™ 19
- Helsinki AirJet Plus™ 20
- Singapore AirJet Plus™ 21
- Milan AirJet Plus™ 22
- Toronto AirJet Plus™ 23

HYDROJET™

- HydroJet™ 24
- Dominica HydroJet™ 25
- Cabo HydroJet™ 26
- Santorini HydroJet Pro™ 27
- San Francisco HydroJet Pro™ 28
- Maldives HydroJet Pro™ 29

XTRAS

- Lay-Z-Spa® Xtras 30-41

CLEARWATER®

- Clearwater® Chemicals 42-48

AIRJET™



MIAMI
BW60001GB



CANCUN
BW60003GB

NEW



BORACAY
BW60175GB



ZURICH
BW60065GB



VEGAS
BW60011GB

Capacity	2-4 ADULTS	2-4 ADULTS	2-4 ADULTS	2-4 ADULTS	4-6 ADULTS
Inflated Size	1.80 m x 66 cm (71" x 26")	1.80 m x 66 cm (71" x 26")	1.80 m x 66 cm (71" x 26")	1.80 m x 66 cm (71" x 26")	1.96 m x 61 cm (77" x 24")
Inner Size	1.32 m (52")	1.32 m (52")	1.32 m (52")	1.32 m (52")	1.46 m (57")
Water Capacity	669 L (177 GAL)	669 L (177 GAL)	699 L (177 GAL)	669 L (177 GAL)	775 L (205 GAL)
Material	PVC & DURAPLUS™	PVC & DURAPLUS™	DURAPLUS™	ENERGYSENSE™	PVC & DURAPLUS™
Number Of AirJets	120	120	120	120	140
Number Of Hydrojets	-	-	-	-	-
Features					

AIRJET™



PARIS
BW60013GB



HOLLYWOOD
BW60059GB

NEW DESIGN



HAWAII
BW60021GB



ST. MORITZ
BW60023GB



MAURITIUS
BW60067GB-24

Capacity	4-6 ADULTS	4-6 ADULTS	4-6 ADULTS	5-7 ADULTS	5-7 ADULTS
Inflated Size	1.96 m x 66 cm (77" x 26")	1.96 m x 66 cm (77" x 26")	1.80 m x 1.80 m X 71 cm (71" x 71" x 28")	2.16 m x 71 cm (85" x 28")	2.70 m x 1.80 m x 71 cm (8'11" x 71" x 28")
Inner Size	1.46 m (57")	1.48 m (58")	1.30 m x 1.30 m (51" x 51")	1.66 m (65")	2.20 m x 1.30 m (7'3" x 51")
Water Capacity	806 L (213 GAL)	908 L (240 GAL)	840 L (222 GAL)	1,190 L (314 GAL)	1,370 L (362 GAL)
Material	PVC & DURAPLUS™	PVC & DURAPLUS™	DURAPLUS™	DURAPLUS™	DURAPLUS™
Number Of AirJets	140	140	140	180	180
Number Of Hydrojets	-	-	-	-	-
Features					



AIRJET PLUS™



Capacity	3-5 ADULTS	4-6 ADULTS	5-7 ADULTS	5-7 ADULTS
Inflated Size	1.55 m x 60 cm (61" x 24")	1.96 m x 71 cm (77" x 28")	1.90 m x 70 cm (75" x 27.5")	1.80m x 66 cm (71" x 26")
Inner Size	1.45 m (57")	1.46 m (57")	1.70 m x 70 cm (67" x 27.5")	1.70 m (67")
Water Capacity	804 L (213 GAL)	916 L (242 GAL)	1,300L (345 GAL)	1,123 L (297 GAL)
Material	FORTIFIBRE™	DURAPLUS™	THERMACORE™	FORTIFIBRE™
Number Of AirJets	140	140	180	180
Number Of Hydrojets	-	-	-	-
features				



HYDROJET PRO™



Capacity	4-6 ADULTS	4-6 ADULTS	5-7 ADULTS	5-7 ADULTS	5-7 ADULTS
Inflated Size	1.96 m x 1.96 m X 71 cm (77" x 77" x 28")	1.80 m x 1.80 m X 71 cm (71" x 71" x 28")	2.16 m x 80 cm (85" x 31.5")	2.30 m x 2.30 m x 71 cm (90.5" x 90.5" x 28")	2.01 m x 2.01 m X 80 cm (79" x 79" x 31.5")
Inner Size	1.46 m x 1.46 m (57" x 57")	1.30 m x 1.30 m (57" x 57")	1.66 m (65")	1.80 m x 1.80 m x 71 cm (71" x 71" x 28")	1.51 m x 1.51 m (59" x 59")
Water Capacity	810 L (214 GAL)	840 L (222 GAL)	1,190 L (314 GAL)	1,180 L (312 GAL)	1,050 L (277 GAL)
Material	DURAPLUS™	DURAPLUS™	DURAPLUS™	DURAPLUS™	DURAPLUS™
Number Of AirJets	140	140	180	180	180
Number Of Hydrojets	4	4	10	10	8
Features					

FEATURE GUIDE

WIFI CONNECTION.....	
FREEZE SHIELD™.....	
LED LIGHTS.....	
FOOT MASSAGE.....	
MASSAGE REGULATION....	
INTEGRATED SEATS.....	
ENERGYSENSE™.....	

HYDROJET™

AIRJET PLUS™

WHAT SETS US APART

- OVER 1 MILLION CUSTOMERS IN THE UK.

- MOST SEARCHED HOT TUB BRAND IN THE UK.

According to 2023 Google Trends Data.

- THE MOST ENERGY EFFICIENT INFLATABLE HOT TUB BRAND.

Based on an independent study of comparable products by comparable brands. (Study completed by SGS Laboratories.)

- MULTI AWARD WINNING RANGE.



- THE UK'S MOST 5-STAR REVIEWED HOT TUB BRAND.

According to verified reviews from Amazon and Trustpilot as of 11th May 2022.



- SCIENTIFICALLY PROVEN HEALTH BENEFITS

Research found that using a Lay-Z-Spa has positive benefits to mental health and cardiovascular health.


More info at lay-z-spa.co.uk/health-and-wellbeing



THE ORIGINAL PREMIUM PORTABLE SPA™

As a leading manufacturer of the inflatable, portable hot tub, Lay-Z-Spa® has become an industry staple that consumers know and trust. From technological innovations to style, Lay-Z-Spa® leads the market. High-function components and safety are the main priorities of the hot tub line, providing consumers with products they can depend on.

Efficient
Durable
Safe



Advanced heating system

High tech components
and decreased noise

LAY-Z-SPA® WI-FI APP



TURN YOUR HOT TUB ON AND OFF
In a hurry? Don't stress, you can turn your hot tub on and off from anywhere.



ADJUST THE WATER TEMPERATURE
Find out your hot tub's current temperature and select your desired temperature so it's ready when you are.




USE THE TIMER TO SUIT YOUR SCHEDULE
When you've got a busy day ahead, use your timer to set your hot tub so it's ready for when you get home.



VOICE CONTROL
Too relaxed to move? Use your voice to control all aspects of your hot tub. Compatible with most virtual home assistants.



**ACTIVATE THE AIRJET™
MESSAGE SYSTEM**
Experience a full massage at the touch of a button.



QUICK SET-UP

- 1 Download Lay-Z-Spa® Wi-Fi App
(Available on Android and Apple devices)
- 2 Register
- 3 Follow the set up instructions

MASSAGE SYSTEMS



AIRJET™ SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



AIRJET PLUS™ SYSTEM

Enjoy a deeper massage with AirJet Plus! Air bubbles are released from both the perimeter and center of the bottom of the spa to target both the legs and back.



HYDROJET™ SYSTEM


HydroJet Pro is the best of both worlds! Adjustable nozzles along the inside walls of the spa release soothing jetstreams of water, while jets along the bottom release a calming flow of air bubbles specifically targeting your feet and back.



LAY-Z-SPA® CONSTRUCTION

DURAPLUS™ WALL AND TOP RING

The outer surface of the hot tub is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



DURAPLUS™ INTERNAL BEAM


The internal beam structure of the hot tub may also be constructed with DuraPlus™ material, providing extra stretch resistance, which allows the hot tub to keep its shape no matter how many times it's inflated or deflated.



DROP STITCH CONSTRUCTION

LIGHTWEIGHT DURABILITY


Inflated walls made from drop stitch material provide unparalleled strength. Thousands of fine threads securely connect the sidewalls, which seal in air to create a rigid and sturdy hot tub. Not only great for durability, but this also makes the spa more spacious on the inside.



BEAM CONSTRUCTION

DELIVERING STRENGTH AND COMFORT

The internal construction of each hot tub is designed to offer superior structural stability while still maintaining a comfortable surface. It always provides a luxurious hot tub experience, no matter how many times it's inflated or deflated.





1 INFLATE



2 CONNECT



3 FILL

SETUP & MAINTENANCE

WITH NO TOOLS REQUIRED, LAY-Z-SPA® SETUP IS QUICK & EASY.

After finding a flat area for the hot tub, it's as easy as 1, 2, 3.


1. INFLATE the hot tub with the multi-function pump.
2. CONNECT the pump to the hot tub, and ensure all of the tubes are attached to the correct openings.
3. FILL the hot tub with water to the indicated level, and enjoy.

Also included with each hot tub is a chemical dispenser & filter cartridge to keep the water sparkling. Maintaining clean and healthy hot tub water is not just important for the user's experience, but it also extends the longevity of the hot tub.

Thanks to a new function available on all hot tubs, the pump can also quickly and conveniently deflate the hot tub for transporting or storing.



DIGITAL
CONTROL PANEL



AIRJET™ SYSTEM



THE ORIGINAL
MESSAGE SYSTEM.

FLOAT AWAY ON A
CLOUD OF BUBBLES
WITH AN AIRJET™
MESSAGE.

Soothe your body and relax your mind
with the touch of a button.

Simply press the message button on the
control panel, and the AirJet™ system
will surround you with calming bubbles.

WARM AIR



MULTI-FUNCTION AIRJET™ PUMP

Introducing a compact design with folding
digital display and cup holders; the new look
Lay-Z-Spa® Multi-Function Pump inflates
your hot tub, heats up to 40°C, filters, and
powers the message system. It also
includes Freeze Shield™ as standard
for all year round use.



DRINK
HOLDER



MIAMI

AIRJET™

BW60001GB

- Soothing AirJet™ massage system (120 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid
- Full colour box



DURAPLUS™ CONSTRUCTION

The Miami AirJet's high-resistance DuraPlus™ inner and outer walls offer better insulation and protection from UV rays for market-leading reliability.



Freeze Shield™ Technology



Capacity 2-4 People



Power Saving Timer



No Tools Required



120 AirJet™ Massage System



Digital Control Panel



40°C Rapid Heating System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	669 L (177 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.32 m (52")
Filled Weight	696 kg (1,534 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS(TUV-RL)/EAC/CM
Pack / Gross Weight	1 Ea., 33.86 KG (74.65 LBS)



CANCUN

AIRJET™

BW60003GB

- Soothing AirJet™ massage system (120 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the spa heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid
- Full colour box



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	669 L (177 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.32 m (52")
Filled Weight	696 kg (1,534 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 33.93 KG (74.80 LBS)



DURAPLUS™ CONSTRUCTION

The Cancun AirJet's high-resistance DuraPlus™ inner and outer walls offer better insulation, and protection from UV rays for market-leading reliability.



Freeze
Shield™
Technology



Capacity
2-4 People



Power
Saving
Timer



No Tools
Required



120 AirJet™
Massage
System



40°C Rapid
Heating
System

NEW

BORACAY

AIRJET™

BW60175GB

- Soothing AirJet™ bubble massage system (120 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips



DURAPLUS™ MATERIAL - WALL AND TOP RING

The outer surface of this spa is constructed with premium Duraplus™ material, providing superior durability, stretch resistance and structural stability.

DURAPLUS™ CONSTRUCTION

The Boracay AirJet's high-resistance DuraPlus™ inner and outer walls offer better insulation, and protection from UV rays for market-leading reliability.



Freeze Shield™ Technology



Capacity 2-4 People



Wi-Fi Connection



No Tools Required



120 AirJet™ Massage System



Digital Control Panel



Massage Regulation 2 Intensity Levels



40°C Rapid Heating System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	699 L (177 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.32 m (52")
Filled Weight	696 kg (1,534 lbs)
Rating	220-240V~ 50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 33.93 kg (74.80 lbs)




ZURICH

AIRJET™

BW60065GB

- Soothing AirJet™ massage system (120 jets)
- EnergySense™ insulated cover makes this spa 40% more energy efficient
- Ultra-strong DuraPlus™ walls are stress tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced cover with safety lock clips and insulating lid
- Full colour box



CONTENTS: 1 hot tub, 1 pool liner, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair patch, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	669 L (177 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.32 m (52")
Filled Weight	704kg (1,552 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.8-2.4°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 43.63 KG (96.19 LBS)



ENERGYSENSE™ INSULATED COVER

Insulated cover speeds up heating time and prevents heat loss, making the Zurich as much as 40% more energy efficient than similar inflatable hot tubs.

DURAPLUS™ MATERIAL - WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
2-4 People



No Tools
Required



120 AirJet™
Massage
System



Digital
Control
Panel



Energy
Sense™



40°C Rapid
Heating
System



CIRCULAR BEAM & DURAPLUS™ CONSTRUCTION

The Vegas AirJet's strong circular beam construction and reinforced insulating cover provides cushioned comfort and strong structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Power
Saving
Timer




No Tools
Required



140 AirJet™
Massage
System



Digital
Control
Panel



40°C Rapid
Heating
System

VEGAS AIRJET™

BW60011GB

- Soothing AirJet™ massage system (140 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair patch, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	775 L (205 gal.)
Inflated Size	1.96 m x 61 cm (77" x 24")
Inner Size	1.46 m (57")
Filled Weight	744 kg (1,640 lbs)
Rating	220-240V-50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/EAC/TUV APPROVED
Pack / Gross Weight	1 Ea., 37.55 KG (82.78 LBS)



PARIS AIRJET™

BW60013GB

- Soothing AirJet™ massage system (140 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid
- Remote-controlled multicoloured LED light strip system



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), 1 LED light strip, repair patch, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	806 L (213 gal.)
Inflated Size	1.96 m x 66 cm (77" x 26")
Inner Size	1.46 m (57")
Filled Weight	840 kg (1,851 lbs)
Rating	220-240V-50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE, GS
Pack / Gross Weight	1 Ea., 40.07 KG (88.34 LBS)



7 LED LIGHT STRIP

A choice of 7 coloured LED lights.



DURAPLUS™ CONSTRUCTION

The Paris's high-resistance DuraPlus™ inner and outer walls offer better insulation and protection from UV rays for market-leading reliability.



Freeze
Shield™
Technology



Capacity
4-6 People



Power
Saving
Timer



No Tools
Required



140 AirJet™
Massage
System



Digital
Control
Panel



7 Colour
LED



40°C Rapid
Heating
System

HOLLYWOOD

AIRJET™

BW60059GB

- Soothing AirJet™ massage system (140 jets)
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Remote-controlled plug-in multicoloured LED light shines through the semi-transparent liner to illuminate the water
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced cover with safety lock clips and insulating lid



7 LED LIGHT STRIP

A choice of 7 coloured LED lights.



DURAPLUS™ CONSTRUCTION

The Hollywood™ AirJet's Ultra-strong DuraPlus™ walls are stress tested to offer durability.



Freeze Shield™ Technology



Capacity 4-6 People



Power Saving Timer



No Tools Required



140 AirJet™ Massage System



Digital Control Panel



Padded Pillows



7 Colour LED



40°C Rapid Heating System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, filter cartridge (VI), 1 ChemConnect™ dispenser, 1 LED light strip, 4 pillows, repair patch, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	908 L (240 gal.)
Inflated Size	1.96 m x 66 cm (77" x 26")
Inner Size	1.48 m (58")
Filled Weight	937 kg (2,066 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/EAC
Pack / Gross Weight	1 Ea., 39.27 KG (86.57 LBS)




HAWAII

AIRJET™

BW60021GB

- Soothing AirJet™ massage system (140 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Maxhold™ beam maintain their shape, intended pressure and sturdiness over time.
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid
- Air release valve



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	840 L (222 gal.)
Inflated Size	1.80 m x 1.80 m x 71 cm (71" x 71" x 28")
Inner Size	1.30 m x 1.30 m (51" x 51")
Filled Weight	879 kg (1,938 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/EAC
Pack / Gross Weight	1 Ea., 43.11 KG (95.04 LBS)



DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

DURAPLUS™ CONSTRUCTION

The Hawaii HydroJet Pro's Duraplus™ inner and outer walls offer protection from sharp objects and UV rays for market-leading reliability.



Freeze Shield™ Technology



Capacity
4-6 People



Wi-Fi
Connection



Power
Saving
Timer



No Tools
Required



140 AirJet™
Massage
System



Digital
Control
Panel



40°C Rapid
Heating
System

ST MORITZ

AIRJET™

BW60023GB

- Soothing AirJet™ massage system (180 jets)
- Ultra-strong DuraPlus™ outer walls with reinforced, reengineered internal beams to offer superior structural stability.
- Maxhold™ beam maintain their shape, intended pressure and sturdiness over time.
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced cover with safety lock clips
- Air release valve



DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

DURAPLUS™ CONSTRUCTION

TheSt Moritz™ AirJet's Ultra-strong DuraPlus™ walls are stress tested to offer durability.



Freeze Shield™ Technology



Capacity 5-7 People



Wi-Fi Connection



Massage Regulation 2 Intensity Levels



Power Saving Timer



No Tools Required



180 AirJet™ Massage System



Digital Control Panel



40°C Rapid Heating System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	1,190 L (314 gal.)
Inflated Size	2.16 m x 71 cm (85" x 28")
Inner Size	1.66 m (85")
Filled Weight	1,210 kg (2,668 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 45.99 KG (101.39 LBS)



LAY-Z-SPA® ST MORITZ AIRJET™

MAURITIUS

AIRJET™


BW60067GB-24

- Soothing AirJet™ massage system (180 jets)
- Ultra-strong DuraPlus™ internal beams and outer walls offer superior structural stability
- Maxhold™ beam maintain their shape, intended pressure and sturdiness over time.
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes two cup holders and is accessible from inside the hot tub
- Reinforced cover with safety lock clips and insulating lid
- Air release valve

NEW
DESIGN



NEW WOOD
PRINT DESIGN



MAXHOLD™ BEAMS

Maxhold™ Internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.

DURAPLUS™ CONSTRUCTION-WALL AND TOP RING

The Mauritius™ AirJet's outer surface is constructed with premium Duraplus™ material, providing superior durability, stretch resistance and structural stability.

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	1,370 L (362 GAL.)
Inflated Size	2.70 m x 1.80 m x 71 CM (8'11" x 71" X 28")
Inner Size	2.20 m X 1.30 m (7'3" X 51")
Filled Weight	1,408kg (3,104 lbs)
Rating	220-240V~ 50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0 - 1.5°C/h (2-3°F/h)
Certification	CE/GS/eac/cm
Pack / Gross Weight	1 Ea., 49.87 kg (109.94 lbs)



Freeze
Shield™
Technology



Capacity
5-7 People



Wi-Fi
Connection



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



No Tools
Required




180 AirJet™
Massage
System



Digital
Control
Panel



40°C Rapid
Heating
System



DIGITAL CONTROL
PANEL



AIRJET PLUS™ SYSTEM


FOOT MASSAGE

The AirJet Plus™ system features additional jets, strategically placed to provide a relaxing foot massage. By placing another circle of massage bubbles in the center of the hot tub, we are able to target the legs as well as the back of the user.




MULTI-FUNCTION AIRJET PLUS™ PUMP

Introducing a compact design with folding digital display and cup holders; the new look Lay-Z-Spa® Multi-Function Pump inflates your hot tub, heats up to 40°C, filters, and powers the massage system. It also includes Freeze Shield™ as standard for all year round use.




WARM AIR



DRINK
HOLDER

THE ENHANCED MESSAGE SYSTEM

The AirJet Plus™ System releases bubbles from both the middle and outer circumference of the hot tub to target both the legs and back.



AIRJET™ POSITIONING

HELSINKI

AIRJET PLUS™

BW60025GB-24

NEW
DESIGN



- Soothing AirJet™ massage system (180 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 high pressure hand pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	1,123 L (297 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.70 m (67")
Filled Weight	1,155 kg (2,548 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 40.13 KG (83.47 LBS)



FORTIFIBER™ MATERIAL - DROP STICH

STRENGTH & DURABILITY

The Fortifiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided spa.



Freeze
Shield™
Technology



Capacity
5-7 People



Wi-Fi
Connection



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



No Tools
Required



180 AirJet™
Massage
System



Foot
Massage



40°C Rapid
Heating
System



SINGAPORE

AIRJET PLUS™

BW60045GB

- Soothing AirJet™ massage system (140 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid
- Built-in Wi-Fi module to control the hot tub through a phone app.



DURAPLUS™ CONSTRUCTION

The Singapore AirJet Plus™ the drop stitch construction utilises thousands of fine threads to securely connect the sidewalls, sealing in air to provide superior rigidity.



Freeze Shield™ Technology



Capacity
3-5 People



Wi-Fi
Connection



1x
100%
Massage
Regulation
2 Intensity Levels
2x
50%



Power
Saving
Timer




No Tools
Required



140 AirJet™
Massage
System



Digital
Control
Panel



40°C Rapid
Heating
System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 high pressure hand pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	804 L (213 gal.)
Inflated Size	1.55 m x 60 cm (61" x 24")
Inner Size	1.45 m (57")
Filled Weight	Filled Weight: 831 kg (1,833 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	Actual Water Flow: 1,325 L/h (350 gal./h)
Heating System	Approx. 1.5 2.0°C/h (3 4°F/h)
Certification	CE/EAC/GS(TUV-RL)
Pack / Gross Weight	1 Ea., 33.514Kg



MILAN

AIRJET PLUS™

BW60029GB

- Soothing AirJet Plus™ massage system (140 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Maxhold™ beam maintain their shape, intended pressure and sturdiness over time.
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid
- Built-in Wi-Fi module to control the hot tub through a phone app.
- Air release valve

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet Plus™ system

SPECIFICATIONS

Water Capacity (80%)	916 L (242 gal.)
Inflated Size	1.96 m x 71 cm (77" x 28")
Inner Size	1.46 m (57")
Filled Weight	954 kg (2,103 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 41.71 KG (91.95 LBS)



DELIVERING STRENGTH AND COMFORT

Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing hot tub experience.

COMPLETE DURAPLUS™ CONSTRUCTION

WALL AND TOP RING
The outer surface of the Milan AirJet™ is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability. Duraplus™ inner and outer walls offer protection from sharp objects and UV rays for market-leading reliability.



Freeze Shield™ Technology



Capacity 4-6 People



Wi-Fi Connection



Massage Regulation 2 Intensity Levels



Power Saving Timer



No Tools Required



140 AirJet™ Massage System



Digital Control Panel



40°C Rapid Heating System

NEW
DESIGN

TORONTO AIRJET PLUS™

BW60163GB-24

- Soothing AirJet Plus™ targeted massage system (180 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ wall cover is stress tested for durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced cover with safety lock clips
- Padded pillows provide an ultra-comfortable experience



INSULATED WALLS

Foam walls speed up heating time and prevents heat loss, making the Toronto as much as 40% more energy efficient than similar hot tubs.

THERMACORE™ CONSTRUCTION AND DURAPLUS™ COVER

The foam wall provides a stable structure and a longer lifespan. It is covered with DuraPlus™ material to offer superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
5-7 People



Wi-Fi
Connection



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



No Tools
Required



Padded
Pillows



180 AirJet™
Massage
System



Digital
Control
Panel



40°C Rapid
Heating
System

CONTENTS: 1 hot tub, 1 pool cover,
1 hot tub pump, 1 ChemConnect™ dispenser,
filter cartridge (VI), repair kit, AirJet Plus™ system


SPECIFICATIONS

Water Capacity (80%)	1,300 L (345 gal.)
Inflated Size	1.90 m x 70 cm (75" x 27.5")
Inner Size	1.70 m (67")
Filled Weight	1,340 kg (2,954 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.1-1.6°C/h (2.2-3.2°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 49.04 KG (108.11 LBS)






**DIGITAL
CONTROL PANEL**



HYDROJET™ SYSTEM

THE ULTIMATE MASSAGE SYSTEM.

Combining directional and flow-adjustable HydroJets™ with the all-surrounding AirJet™ massage system; HydroJet™ provides the ultimate hot tub massage experience.



AIRJET™ POSITIONING

HYDROJET™ POSITIONING



**DRINK
HOLDER**




MULTI-FUNCTION HYDROJET™ PUMP

Introducing a compact design with folding digital display and cup holders; the new look Lay-Z-Spa® Multi-Function Pump inflates your hot tub, heats up to 40°C, filters, and powers the massage system. It also includes Freeze Shield™ as standard for all year round use.


HYDROJETS™

Pivot the nozzle to direct the jet wherever you wish. Twist the bezel to adjust the flow rate.



AIRJETS

Openings encircle the perimeter of the hot tub floor to produce relaxing bubbles.




NEW

DOMINICA HYDROJET™

BW60165GB

- Hydrodynamic water jetstream and air bubble massage system (4 jetstream nozzles and 140 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ outer walls combined with reinforced internal beams offer superior structural stability
- Maxhold™ beam maintain their shape, intended pressure and sturdiness over time.
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips
- Padded pillows provide an ultra-comfortable experience



MAXHOLD™ BEAMS

Maxhold™ Internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.

DURAPLUS™ WALL & TOP RING

The Dominica HydroJet's complete DuraPlus™ construction, right down to the internal beams, offers superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6
People



Wi-Fi
Connection



Padded
Pillows



1x
Massage
Regulation
2 Intensity Levels



Power
Saving Timer



No Tools
Required



40 °C
Rapid
Heating
System

CONTENTS: 1 hot tub, 1 pool cover,
1 hot tub pump, 1 ChemConnect™ dispenser,
filter cartridge (VI), repair kit, HydroJet Pro™ system

SPECIFICATIONS

Water Capacity (80%)	810 L (214 gal.)
Inflated Size	1.96 m x 1.96 m x 71 cm (77" x 77" x 28")
Inner Size	1.46 m x 1.46 m (57" x 57")
Filled Weight	853 kg (1,880 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	3,975 L/h (1,050 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE
Pack / Gross Weight	1 Ea., 52.47 KG (115.67 LBS)



CABO HYDROJET™

BW60167GB

- Hydrodynamic water jetstream and air bubble massage system (4 jetstream nozzles and 140 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ outer walls combined with reinforced internal beams offer superior structural stability
- Maxhold™ beam maintain their shape, intended pressure and sturdiness over time.
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips
- Padded pillows provide an ultra-comfortable experience

NEW



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, 5 pillows, 2 water powered LED lights, filter cartridge (VI), repair kit, HydroJet Pro™ system

SPECIFICATIONS

Water Capacity (80%)	840 L (222 gal.)
Inflated Size	1.80 m x 1.80 cm X 71 cm (71" x 71" x 28")
Inner Size	1.30 m x 1.30m (51" x 51")
Filled Weight	839 kg (1,850 lbs)
Rating	220-240V-50Hz, 2050W at 20°C (68°F)
Actual Water Flow	3,975 L/h (1,050 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE/EAC/CM
Pack / Gross Weight	1 Ea., 53.92 KG (118.87 LBS)




MAXHOLD™ BEAMS

Maxhold™ Internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.

DURAPLUS™ WALL & TOP RING

The Cabo Hydrojet's complete DuraPlus™ construction, right down to the internal beams, offers superior durability, stretch resistance and structural stability.



SANTORINI

HYDROJET PRO™

BW60075GB

- 10 multi-directional HydroJets™ combine with 180 invigorating AirJets™
- Maxhold™ beam maintain their shape, intended pressure and sturdiness over time.
- Freeze Shield™ for use all year round
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid
- Inflatable seat and padded pillows provide an ultra-comfortable experience
- ColourJet LED lights with 7 different colours
- Built-in Wi-Fi module, hot tub can be controlled through a phone app



MAXHOLD™ BEAMS

Maxhold™ Internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.

DURAPLUS™ WALL & TOP RING

The Santorini Hydrojet's complete DuraPlus™ construction, right down to the internal beams, offers superior durability, stretch resistance and structural stability.

WATER-POWERED LED LIGHTS

A choice of 7 coloured LED lights.



Freeze Shield™ Technology



Capacity 5-7 People



Wi-Fi Connection



Massage Regulation 2 Intensity Levels



Power Saving Timer



No Tools Required



180 AirJet™ Massage System



Digital Control Panel



Integrated Seats



7 Colour LED



HydroJet Pro™ Massage System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, 5 pillows, 2 water powered LED lights, filter cartridge (VI), repair kit, HydroJet Pro™ system

SPECIFICATIONS

Water Capacity (80%)	1,190 L (314 gal.)
Inflated Size	2.16 m x 80 cm (85" x 31.5")
Inner Size	1.66 m (65")
Filled Weight	1253 kg (2,762 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE/EAC/CM
Pack / Gross Weight	1 Ea., 77.06 KG (169.89 LBS)





SAN FRANCISCO HYDROJET PRO™

BW60161GB-24

- Hydrodynamic water jetstream and air massage system (10 jetstream nozzles and 180 jets)
- Maxhold™ beam maintain their shape, intended pressure and sturdiness over time.
- Jet massage nozzles integrated to the back of the lounge
- Massage regulator provides 2 intensity level options
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes cup holders
- Reinforced cover with safety lock clips
- Inflatable seats and padded pillows provide an ultra-comfortable experience

NEW
DESIGN



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), 2 water powered LED lights, repair patch, HydroJet Pro™ system 5 Pillows.

SPECIFICATIONS

Water Capacity (80%)	1,180 L (312 gal.)
Inflated Size	2.30 m x 2.30 m x 71 cm (90.5" x 90.5" x 28")
Inner Size	1.80 m x 1.51 m (71" x 71")
Filled Weight	1,258 kg (2,774 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE
Pack / Gross Weight	1 Ea., 92.53 KG (203.99 LBS)



MAXHOLD™ BEAMS

Maxhold™ Internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.

DURAPLUS™ WALL & TOP RING

The San Francisco Hydrojet's complete DuraPlus™ construction, right down to the internal beams, offers superior durability, stretch resistance and structural stability.

WATER-POWERED LED LIGHTS

A choice of 7 coloured LED lights.



Freeze
Shield™
Technology



Capacity
5-7 People



Wi-Fi
Connection



Padded
Pillows



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



180 AirJet™
Massage
System



Integrated
Seats



7 Colour
LED



40°C Rapid
Heating
System

MALDIVES HYDROJET PRO™

BW60033GB

- 8 directional and flow-adjustable HydroJets™ combine with 180 invigorating AirJets™
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid
- ColourJet LED lights with 7 different colours



MAXHOLD™ BEAMS

Maxhold™ Internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.

DURAPLUS™ WALL & TOP RING

The Maldives Hydrojet's complete DuraPlus™ construction, right down to the internal beams, offers superior durability, stretch resistance and structural stability.

WATER-POWERED LED LIGHTS

A choice of 7 coloured LED lights.



Freeze
Shield™
Technology



Capacity
5-7 People



Wi-Fi
Connection



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



No Tools
Required



180 AirJet™
Massage
System



Digital
Control
Panel



Integrated
Seats



7 Colour
LED



HydroJet Pro™
Massage
System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, 5 pillows, filter cartridge (VI), 2 water powered LED lights, repair patch, HydroJet Pro™ system

SPECIFICATIONS

Water Capacity (80%)	1,050 L (277 gal.)
Inflated Size	2.01 m x 2.01 m x 80 cm (79" x 79" x 31.5")
Inner Size	1.51 m x 1.51 m (59" x 59")
Filled Weight	1,118 kg (2,465 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE
Pack / Gross Weight	1 Ea., 82.34 KG (181.53 LBS)





ACCESSORIES TO COMPLEMENT YOUR LAY-Z-SPA®.

Make maintenance easy and
elevate the luxury and comfort
of your hot tub with an array
of accessory options from
Lay-Z-Spa®.



LAY-Z-SPA® SEAT

BW60321

- Firm, sturdy spa seat is comfortable for hours of relaxation
- Seat legs can be adjusted to a custom height - from 8-12 cm (3.15-4.72 in)
- Weighted seats remain at the bottom of the hot tub
- Full colour box
- 2 Ea., 6.14 kg (13.54 lbs)





LAY-Z-SPA® DRINKS HOLDER

BW60306

- Keep beverages or snacks close by while you relax
- Position anywhere on the top of hot tub sidewall
- Compatible with all Lay-Z-Spas® (except drop stitch models)
- Includes two drinks holders and one tray
- Full colour box
- 12 Ea., 8.95 kg (19.73 lbs)



LAY-Z-SPA® FOOTBATH

BWA0011


- Wash feet before entering the hot tub
- Helps to prevent dirt and debris from being walked into your hot tub
- Non slip design provides grip for your feet when entering your hot tub for added safety
- Made from durable and robust material for long lasting use
- Generous size is big enough to fit all feet sizes
- Full colour box
- 12 Ea



LAY-Z-SPA® PILLOW

BW60307

- Soft pillow provides head and neck support
- Organic PU foam is 100% waterproof and resistant to chemicals and odours
- Compatible with all Lay-Z-Spas® (except drop stitch models)
- Easy to clean
- Full colour box
- 4 Ea., 3.96 kg (8.73 lbs)
- Contents: 2 pillows



LAY-Z-SPA® PADDED PILLOW

BW60316

- Size: 23 cm x 13 cm x 5 cm (9 in. x 5 in. x 2 in.)
- Ergonomic design provides head and neck support
- Customizable pillow height using the adjustable strap and balance weight to keep it in place
- Compatible with all Lay-Z-Spa® models and most bathtubs
- Comfortable sponge pillow is covered with a washable mesh fabric
- 12 Ea., 4.16 kg (9.17 lbs)
- Contents: 2 pillows



LED FLOATING HOT TUB LIGHT

BW58419

- Beautiful display: 4 super bright LEDs in 4 colours (yellow, red, blue and green) with 7 flashing light modes
- Easy to operate: simply press on button on the top of the ball
- No wiring or outside electrical power required
- Powered by 3xAAA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8' wide and 5' deep
- Shuts off automatically after one hour when not in use
- Full colour box
- 12 Ea., 4.5 kg (9.9 Lb.)



LAY-Z-SPA® UNDERWATER LED LIGHT

BW60303


- Uses 3 AAA batteries (not included)
- IP68 waterproof
- LED light alternates between 7 colours
- 2 hours of run time with auto-shutoff feature
- One-touch operation: simply press top button
- Full colour box
- 6 Ea., 0.98 kg (2.16 lbs)



LAY-Z-SPA® SOOTHING LED WATERFALL

BW60322

- LED light alternates between 7 colours
- IP66 waterproof rating - protects from powerful streams of water and dust
- 2 hours of run time with auto-shutoff feature
- Magnetic attachment system for easy setup
- One-touch operation: simply press bottom button
- Uses 3 AAA batteries (not included)
- Full colour box
- 4 Ea., 4.22 kg (9.30 lbs)




7 LED LIGHTS

A choice of 7 coloured LED lights.

LAY-Z-SPA® THERMAL COVERS

AN INSULATING COVER
SPEEDS UP HEATING TIME
AND PREVENTS HEAT LOSS
MAKING THE HOT TUB UP TO
40% MORE ENERGY EFFICIENT.



SAFETY CLIP



REMOVABLE COVER




EASY ACCESS



SECURE STRAP

LAY-Z-SPA® ENERGYSense™ THERMAL HOT TUB ROUND COVERS




- Increases energy efficiency of the spa
- DuraPlus™ waterproof surface material increases cover durability
- Zipper door for built-in pump or external pump connection
- Full colour box



ITEM	SIZE	COMPATIBILITY	COMPATIBILITY	WEIGHT
BW60330	1.70 m x 66 cm / 67" x 26"	Compatible with round spas with diameters of 1.70 m (67") and heights of 66 cm (26")	60037, 60061	1 EA., 6.69 KG (14.75 LBS)
BW60317	1.80 m x 66 cm / 71" x 26"	Compatible with round spas with diameters of 1.80 m (71") and heights of 66 cm (26")	60001, 60003, 60005, 60025, 60035, 60085, 60175	1 EA., 7.38 KG (16.27 LBS)
BW60318	1.96 m x 71 cm / 77" x 28"	Compatible with round spas with diameters of 1.96 m (77") and heights of 71 cm (28")	60017, 60019, 60029, 60059 60165	1 EA., 7.72 KG (17.02 LBS)
BW60326	2.16 m x 80 cm / 85" x 31.5"	Compatible with round spas with diameters of 2.16 m (85") and heights between 71 cm (28") and 80 cm (31.5")	60023, 60075	1 EA., 10.42 KG (22.97 LBS)
BW60331	2.36 m x 71 cm / 93" x 28"	Compatible with round spas with diameters of 2.36 m (93") and heights of 71 cm (28")	60135	1 EA., 11.60 KG (25.57 LBS)

LAY-Z-SPA® ENERGYSENSE™ THERMAL HOT TUB SQUARE COVERS



- Increases energy efficiency of the spa
- DuraPlus™ waterproof surface material increases cover durability
- Zipper door for built-in pump or external pump connection
- Full colour box

ITEM	SIZE	COMPATIBILITY	COMPATIBILITY	WEIGHT
BW60319	1.80 m x 1.80 m x 71 cm / 71" x 71" x 28"	Compatible with square spas with lengths of 1.80 m (71") and heights of 71 cm (28")	60015, 60021, 60167, 60261	1 EA., 7.54 KG (16.62 LBS)
BW60332	2.01 m x 2.01 m x 80 cm / 79" x 79" x 31.5"	Compatible with square spas with lengths of 2.01 m (79") and heights of 80 cm (31.5")	60033	1 EA., 11.13 KG (24.54 LBS)
BW60333	2.30 m x 2.30 m x 71 cm / 90.5" x 90.5" x 28"	Compatible with square spas with lengths of 2.30 m (90.5") and heights of 71 cm (28")	60161	1 EA., 12.60 KG (27.78 LBS)



XTRAS



LAY-Z-SPA® CANOPY

BW60304

- 1.83 m x 94 cm x 1.09 m / 6' x 37" x 43"
- Fabric with UV protection
- High density, ventilated mesh windows
- Two removable guy lines to provide stability
- Fits all Lay-Z-Spa® models (except St. Lucia and Vancouver)
- Full colour box
- 3 Ea. 4.09 kg (9.02 lbs)
- Contents: 1 tent, 3 poles, 2 guy lines, 1 storage bag



LAY-Z-SPA® DOME

BW60305

- 3.90 m x 3.90 m x 2.55 m / 12'9" x 12'9" x 8'4"
- Fabric with UV protection
- Fits all Lay-Z-Spa® models
- 4 large inside pockets to store personal items
- 4 detachable fabric and mesh doors, suitable for both winter and summer
- Suitable as a gazebo for use in the garden or backyard
- Can be used for pools up to 3.66 m (12") diameter
- Setup time: 15 min.
- Full colour box
- 2 Ea., 29.65 kg (65.37 lbs)
- Contents: 1 tent, 4 detachable fabric doors, 4 detachable mesh doors, carry bag



LAY-Z-SPA® ROUND FLOOR PROTECTOR

BW13222

- 2.11 m x 2.11 m / 83" x 83"
- Square floor protector 40 cm x 50 cm (15.5" x 19.5") mat for hot tub heater
- Durable polyethylene material that provides protection for your hot tub
- Package contains 10 pieces (9 attachable, 1 individual)
- Full colour box
- 4 Ea., 9.89 kg (21.8 lbs)



LAY-Z-SPA® SQUARE FLOOR PROTECTOR

BW60309

- 2.16 m x 2.16 m / 85" x 85"
- Square protector 40 cm x 50 cm (15.5" x 19.5") mat for hot tub heater
- Durable polyethylene material that provides protection for your hot tub
- Package contains 10 pieces (9 attachable, 1 individual)
- Compatible with all Lay-Z-Spa® hot tubs smaller than 2.16 m (85")
- Shrink wrapped with insert card
- 4 Ea., 10.48 kg (23.10 lbs)





800 GAL DRAIN PUMP

BW58230GB

- Pumps 800gal (3,028L) per hour, 220-240V~50Hz, 85W
- Quick and easy way to drain your pool/spa water
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 5m (16.4') long, 3.2cm (1.25") diameter
- Includes two adaptors to connect garden hose
- CE approved
- 4 Ea, 13.1kg (28.9Lb)



LAY-Z-SPA® UNDERWATER VACUUM

BW60323

- Compatible with Bestway AirJet™ & AirJet Plus™ hot tubs
- Connects to the water outlets on the hot tub and uses the water flow to create suction
- Lightweight pole to easily maneuver the vacuum around the liner of the hot tub
- Features a brush head and reusable debris bag
- Full colour box
- 6 Ea., 4.98 kg (10.98 lbs)

**NEW
DESIGN**



RECHARGEABLE UNDERWATER VACUUM BW60327

Rechargeable battery-powered pump creates suction, without the use of hoses or electrical cords

- Consistent performance for 50 minutes
- Charge time: 4-5 hours
- Simple press-button operation
- Ideal for spas and small pools
- Pivoting suction head with wheels and brushes
- Debris is collected in an easy-to-access and
- Easy-to-empty stainless steel filter
- Full color box
- 4 Ea., 4.70 kg (10.36 lbs)



TWO-SECTION POLE
with total reach of approximately
1.55 m / 5.1'

TRANSPARENT BODY
shows debris level

RECHARGEABLE
plug, charge, and clean!

PIVOTING SUCTION HEAD



VINYL REPAIR KIT

BWAO010

- 15cm x 10cm patch x 1
- 3 size circle patches 40mm, 70mm & 100mm x 3 of each
- Application tool
- 60ml glue
- Full colour box
- 12/48 Qty

LAY-Z-SPA® ALL-IN-ONE TOOL SET

BW60310

Scoop:

- Bumper protects hot tub surface
- Round shaped design fits the contours of the hot tub interior
- Deep net to collect debris
- Handheld or connects to standard telescopic pole

Brush:

- Bumper and nylon bristles protect hot tub's surface
- Handheld or connects to standard telescopic pole

Scrubbing Mitt:

- Scrub along hot tub water line
 - Latex glove bonded with scrubber pad
 - Full colour box
 - 8 Ea., 7.3 kg (16.09 lbs)
- Contents: 1 scoop, 1 brush, 1 scrubbing mitt



XTRAS



FILTER CARTRIDGE VI BOX (12 PACK)

BW15196

- 10.6cm x 8.0cm / 4.2" x 3.1"
- Easy to clean
- Contains 12 filter cartridges
- Replacement cartridge for Lay-Z-Spa®
- 1 Set., 2.79 kg (6.15 lbs)
- Contents: 6 x twin packs



FILTER CARTRIDGE VI (2 PACK)

BW60311

- 10.6 cm x 8.0 cm / 4.2" x 3.1"
- Easy to clean
- Shrink wrapped with insert card
- 6 Ea., 2.79 kg (6.15 lbs)
- Contents: 2 filter cartridges



5" CHEMICAL FLOATER

BW58210-24

- 12.7cm / 5"
- Dispenses 2.5cm (1") chemical tablets, adjustable dial to control the release of chemicals
- No tablets included
- Colour insert card
- 24 Ea., 2.1 kg (4.7 lbs)





LAY-Z-SPA® POLYCARBONATE WINE GLASS

BWA0006

- 4pc Polycarbonate wine glasses
- Glasswasher/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and drug approved material
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 312ml
- Product size: L18.8cm x W8.1cm
- Packaging: Full colour box
- 8 Ea



LAY-Z-SPA® POLYCARBONATE BEER GLASS

BWA0007

- 4pc Polycarbonate beer glasses
- Glasswasher/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and drug approved material
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 420ml
- Product size: L17.9cm x W7.3cm
- Packaging: Full colour box
- 8 Ea



LAY-Z-SPA® POLYCARBONATE CHAMPAGNE FLUTE

BWA0008

- 4pc Polycarbonate champagne flutes
- Glasswasher/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and drug approved material
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 187ml
- Product size: L21.9cm x W6.7cm
- Packaging: Full colour box
- 8 Ea



LAY-Z-SPA® POLYCARBONATE TUMBLER

BWA0009

- 4pc Polycarbonate tumbler glasses
- Glasswasher/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and drug approved material,
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 340ml
- Product size: L15.7cm x W6.3cm
- Packaging: Full colour box
- 8 Ea

ClearWater®

For simple and easy maintenance of your hot tub, CLEARWATER® has a range of chemical options to choose from.



MULTI-AWARD
WINNING RANGE.

UK Pool & Spa Awards 2018 & 2019.



AVERAGE RATING OF 4.6/5
ACROSS 90,000 REVIEWS.

According to verified reviews from stockists
as of 7th July 2022.



ADHERES TO ALL EU
GUIDELINES &
REGULATIONS.



HOT TUB STARTER KIT

CH0018

- 500g Chlorine Granules
- 500g pH Plus
- 500ml Foam Remover
- 700g pH Minus
- 25 Test Strips
- Spa Treatment Guide
- 6 Pcs



5KG CHLORINE GRANULES

CH0004

- Disinfects pool and hot tub water to keep it free from bacteria
- Easy-to-use rapid dissolving granules
- 4 Pcs



5KG CHLORINE GRANULES

CH0040

- Disinfects pool and hot tub water to keep it free from bacteria
- Easy-to-use rapid dissolving granules
- 4 Pcs



1KG CHLORINE GRANULES

CH0010

- Disinfects pool and hot tub water to keep it free from bacteria
- Easy-to-use rapid dissolving granules
- 6 Pcs



5KG MULTI FUNCTION CHLORINE TABLETS

CH0041

- Includes 250 x 20g tablets
- Slow release chlorine, algaecide and clarifier
- Suitable for use in chemical floaters 58210 & 58071 and ChemConnect™ dispenser
- 4 Pcs



1KG MULTI FUNCTION CHLORINE TABLETS

CH0019

- Includes 50 x 20g tablets
- Slow release chlorine, algaecide and clarifier
- Suitable for use in chemical floaters 58210, 58071 and ChemConnect™ dispenser
- 6 Pcs



FAST ACTION TABS

CH0022

- Includes 167 x 3g tablets
- Fast dissolving chlorine tablets allow precision dosing and easy handling benefits
- Minimal impact on pH levels
- 12 Pcs

1KG pH PLUS

CH0005

- Increases pH level of hot tub water
- Maintains comfortable H levels for the skin
- Enables chlorine treatment to work more effectively
- 6 Pcs



1.5KG pH MINUS

CH0008

- Decreases pH level of hot tub water
- Maintains comfortable pH levels for the skin
- Enables chlorine treatment to work more effectively
- 6 Pcs



1KG TA PLUS

CH0030

- Increases total alkalinity of pool and hot tub water
- 6 Pcs



1LTR ALGAECIDE

CH0006

- For the treatment and prevention of algae growth
- 6 Pcs



1LTR CLARIFIER

CH0009

- Binds small particles together to enable them to be filtered
- Prevents hot tubs & pool water from looking dull
- Helps keep hot tubs & pool water sparkling AND clear
- 6 Pcs



1LTR FOAM REMOVER

CH0007

- To prevent and control excess foam in hot tub water
- 6 Pcs



1LTR CARTRIDGE CLEANER

CH0031

- Removes oils and greases from cartridges
- Restores filter efficiency
- Cleans up to 20 filters
- 6 Pcs



1LTR SCALE & STAIN CONTROLLER

CH0021

- For the prevention and removal of scale and stains
- Especially useful in hard water areas
- Also used for the removal and control of metal stains
- 6 Pcs



500ML ANTI BAC VINYL CLEANER

CH0045

- External vinyl surface cleaner
- Anti Bacterial
- Effectively removes dirt and stains
- 6 Pcs





25 DIP TESTS

CH0012

- Includes 25 x dip test strips
- Simply dip into the water and remove to test chemical levels
- Easy-to-read colour scale to check results
- Indicates chlorine, pH & alkalinity levels
- 10 / 100



MEASURING SET

CH0032

- 2 measuring jugs
- 1 mixing rod
- 3 measuring spoons
- 5ml, 10ml & 50ml
- 12 Pcs



50 DIP TESTS

CH0043

- Includes 50 x dip test strips
- Simply dip into the water and remove to test chemical levels
- Easy-to-read colour scale to check results
- Indicates chlorine, pH & alkalinity levels
- 10 / 100



ABSORBABALL

CH0046

- Effectively removes oils and dirt from the surface of your hot tub or pool
- Wash and reuse
- Floats on the surface of your hot tub and pool
- 3pc
- 12/36





MIRACLE CLEANING PAD (3 PACK)

CH0025

- Clean all areas of your hot tub & pool without the use of chemicals or detergents
- For use above and below the waterline
- 3 Pc Pack
- 16/64



MIRACLE CLEANING PAD (24 PACK DISPLAY)

CH0026

- Clean all areas of your hot tub & pool without the use of chemicals or detergents
- For use above and below the waterline
- 24 Pc Display Box
- 24/96



CHEMICAL DISPLAY STAND

PM0079

- Display stand, supplied empty.
- Size: H:164cm, W:64cm, D:31cm
- 1 Pcs



DEAD SEA SALTS FOR HOT TUBS



1KG EXOTIC COCONUT & VANILLA DEAD SEA SALT

CH0033

- 100% Dead Sea Salts
- Vegan Friendly
- Relaxes Muscles
- Not tested on Animals
- Zip Lock Bag to retain freshness
- 12pcs



1KG CALMING LAVENDER DEAD SEA SALT

CH0034

- 100% Dead Sea Salts
- Vegan Friendly
- Relaxes Muscles
- Not tested on Animals
- Zip Lock Bag to retain freshness
- 12pcs



1KG RE-ENERGISING EUCALYPTUS DEAD SEA SALT

CH0035

- 100% Dead Sea Salts
- Vegan Friendly
- Relaxes Muscles
- Not tested on Animals
- Zip Lock Bag to retain freshness
- 12pcs



UK Sales Contacts

1. David Shepherd

Area Sales Manager
07958 002195
dave.shepherd@wiltonbradley.com

2. Ian Jenkins

Area Sales Manager
07967 563223
ian.jenkins@wiltonbradley.com

3. Shaun Bowden

Area Sales Manager
07415 120501
shaun.bowden@wiltonbradley.com

4. Phil Cumper

Area Sales Manager
07989 541767
phil.cumper@wiltonbradley.com

5. Matt Folds

Area Sales Manager
07866 482544
matt.folds@wiltonbradley.com

Mike Gascoigne

National Accounts Manager
07970 578883
mike.gascoigne@wiltonbradley.com

Pete Minch

National Accounts Manager
07939 231084
pete.minch@wiltonbradley.com

John White

National Accounts Manager
07497 816827
john.white@wiltonbradley.com

Hong Kong Office Contact

Wingi Chau

General Manager
+852 3468 8002
wingi@wiltonbradley.com.hk
Address: Wilton Bradley
(Hong Kong) Limited
409-410 4th Floor,
New East Ocean Centre,
Science Museum Rd,
Tsim Sha Tsui East

Sales Enquiries

UK Sales Office

01626 837947
sales@wiltonbradley.com

Head Office Contacts

Tom Ellyatt

Marketing and Ecommerce Director
01626 835400
tom.ellyatt@wiltonbradley.com

Ross Bradley

Sales Director
+44 7725 836155
ross.bradley@wiltonbradley.com

Stuart Wooster

Sales Manager
07398 902826
stuart.wooster@wiltonbradley.com

General Enquiries

01626 835400

Bestway

Registered address:

8 Wentworth Road, Heathfield Ind Est,
Newton Abbot, Devon, UK TQ12 6TL.
Company number 09476216.
Design rights © Wilton Bradley Ltd.

Wilton Bradley (Hong Kong) Ltd,
Unit 409-410 4/F, New East Ocean
Centre, 9 Science Museum Road, Tsim
Sha Tsui, Kowloon, Hong Kong.

Bestway

LAY-Z-SPA



WILTON BRADLEY LTD
8 Wentworth Road, Heathfield Ind Est,
Newton Abbot, Devon TQ12 6TL
Tel: 01626 835400
Fax: 01626 836656
Email: sales@wiltonbradley.com
www.wiltonbradley.com

OUR AIM IS TO PROVIDE OUR CUSTOMERS WITH:

- Prompt delivery nationwide
- Competitive prices
- Huge range of quality products
- Friendly and efficient service

Minimum carriage paid order £400.00. You are welcome to come and visit our showroom by prior arrangement.

E&OE