

A man and a woman are enjoying a hot tub in a garden setting. The woman, wearing a teal bikini, is sitting on the edge of the hot tub, smiling. The man is lying back in the hot tub, which is filled with bubbling water. The hot tub is dark grey and has a control panel on the right side. In the background, there is a stone wall, a large arched window, and some potted plants. The scene is bright and sunny.

LAY-Z-SPA®

Bestway®

IN PARTNERSHIP WITH
WILTON BRADLEY LTD

2025 COLLECTION



TIME TO RELAX

Lay-Z-Spa® provides an affordable luxury lifestyle with a sociable environment to relax and unwind.

Available in a variety of different shapes, sizes, styles and materials, there is something for everyone. Setting up is easy, which means you can inflate, fill up and begin to enjoy the soothing massage system and 40°C water in next to no time.

The entire collection comes with a range of premium features as standard. This includes insulating inflatable lids, digital pumps with built-in drinks holders, a power-saving timer and Freeze Shield™ technology so you can use the hot tub all year round.

Explore our 2025 catalogue and find out why you should choose Lay-Z-Spa®.



CONTENTS

What Sets Us Apart	04	STANDARD SERIES SPA	14	FORTIFIBER SERIES SPA	25
B the Change	5	Ibiza AirJet™	15	Singapore AirJet™	26
Collection	06	New York AirJet™	16	Helsinki AirJet™	27
Wi-Fi App & Massage Systems.....	09	Hollywood AirJet™	17		
Construction	10	Florence AirJet™	18	THERMACORE SERIES SPA.....	28
Pump Technology	11			Carrara AirJet™	29
Setup & Maintenance.....	12	MAXHOLD SERIES SPA.....	19	Toronto AirJet™	30
Product Safety	13	Rome AirJet™	20		
		Mauritius AirJet™	21	XTRAS ACCESSORIES	31
		Santorini Hydrojet Pro™	22	CLEARWATER	44
		Maldives Hydrojet Pro™	23		
		San Francisco Hydrojet Pro™	24		

WHAT SETS US APART

- OVER 1 MILLION CUSTOMERS IN THE UK.

- MOST SEARCHED HOT TUB BRAND IN THE UK.

According to 2024 Google Trends Data.

- THE MOST ENERGY EFFICIENT INFLATABLE HOT TUB BRAND.

Based on an independent study of comparable products by comparable brands. (Study completed by SGS Laboratories.)

- MULTI AWARD WINNING RANGE.



- THE UK'S MOST 5-STAR REVIEWED HOT TUB BRAND.

According to verified reviews from Amazon and Trustpilot as of 11th May 2022.



- SCIENTIFICALLY PROVEN HEALTH BENEFITS

Research found that using a Lay-Z-Spa has positive benefits to mental health and cardiovascular health.

More info at lay-z-spa.co.uk/health-and-wellbeing






B THE CHANGE MISSION

Our Commitment to a Better Future

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1,383,000 square feet of factory buildings, each covered in solar panels to equal about 40 football pitches. As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: **renewable resources, waste and packaging.**




Bestway Nantong



STANDARD SERIES

FEATURE GUIDE

	 IBIZA AIRJET™ 6	 NEW YORK AIRJET™ 6	 HOLLYWOOD LUXE AIRJET™ 6	 FLORENCE AIRJET™ 6
ITEM NUMBER	BW60015GB	BW60247GB	BW60059GB	BW60249GB
EXTERNAL CONSTRUCTION	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL
INTERNAL BEAM MASSAGE	PVC BEAM	PVC BEAM	PVC BEAM	PVC BEAM
TECHNOLOGY	AIRJET™	AIRJET™	AIRJET™	AIRJET™
PUMP TYPE	EXTERNAL PUMP	EXTERNAL PUMP	EXTERNAL PUMP	EXTERNAL PUMP
ENERGY-EFFICIENT	-	-	-	-
USER CAPACITY	4-6 ADULTS	4-6 ADULTS	4-6 ADULTS	4-6 ADULTS
PRINT	GREEN	DARK GREEN	BLACK WAVES	MARBLE
SHAPE	SQUARE	ROUND	ROUND	SQUARE
INFLATED SIZE	1.80M X 1.80M X 66CM (71" X 71" X 26")	1.96M X 66CM (77" X 26")	1.96M X 66CM (77" X 26")	1.80M X 1.80M X 66CM (71" X 71" X 26")
INNER SIZE	1.32M X 1.32M (53" X 52")	1.48M (58")	1.48M (58")	1.30M X 1.30M (51" X 51")
WATER CAPACITY	908L (240GAL)	908L (240GAL)	908L (240GAL)	908L (240GAL)
NUMBER OF JETS	140	140	140	140
FEATURES			  	  



MAXHOLD™ SERIES

FEATURE GUIDE


	 ROME AIRJET™ 6	 MAURITIUS AIRJET™ 7	 SANTORINI HYDROJET™ 7	 MALDIVES HYDROJET™ 7	 SAN FRANCISCO HYDROJET™ 7
ITEM NUMBER	BW6001KGB	BW60067GB-24	BW6001TGB	BW6001UGB	BW6001QGB
EXTERNAL CONSTRUCTION	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL
INTERNAL BEAM MASSAGE	MAXHOLD™ BEAMS	MAXHOLD™ BEAMS	MAXHOLD™ BEAMS	MAXHOLD™ BEAMS	MAXHOLD™ BEAMS
TECHNOLOGY	AIRJET™	AIRJET™	HYDROJET PRO™	HYDROJET PRO™	HYDROJET PRO™
PUMP TYPE	ULTRAFIT™PUMP	EXTERNAL PUMP	EXTERNAL PUMP	EXTERNAL PUMP	EXTERNAL PUMP
ENERGY-EFFICIENT	YES	YES	YES	YES	YES
USER CAPACITY	4-6 ADULTS	5-7 ADULTS	5-7 ADULTS	5-7 ADULTS	5-7 ADULTS
PRINT	BROWN MARBLE	GREY	GREY	BURGUNDY	GREY MARBLE
SHAPE	SQUARE	OVAL	ROUND	SQUARE	SQUARE
INFLATED SIZE	1.80m x 1.80m x 71cm (71" x 71" x 28")	2.70m x 2.70m x 71cm (8'11" x 71" x 28")	2.16m x 80cm (85" x 31.5")	2.01m x 2.01m x 80cm (79" x 79" x 31.5")	2.30m x 2.30m x 71cm (90.5" x 90.5" x 28")
INNER SIZE	1.30m x 1.80m (51" x 51")	2.20m x 1.30m (7'3"362")	1.66m (65")	1.51m X 1.51m (59" x 59")	1.80m x 1.80m (71" x 71")
WATER CAPACITY	840L (222GAL)	1,370L (222GAL)	1,190L (314GAL)	1,050L (277GAL)	1,180L (312GAL)
NUMBER OF JETS	140	180	10 JETSTREAM NOZZLES AND 180 JETS	10 JETSTREAM NOZZLES AND 180 JETS	10 JETSTREAM NOZZLES AND 180 JETS
FEATURES	  	  	      	      	      



SMARTPHONE
APP



FREEZE
SHIELD™



7-COLOUR
LED LIGHTS



FOOT
MASSAGE



MASSAGE
REGULATION



IS INTEGRATED
SEATS



PILLOWS


FORTIFIBER™ SERIES

THERMACORE™ SERIES

FEATURE GUIDE

	 SINGAPORE AIRJET™ 5	 HELSINKI AIRJET™ 7	 CARRARA AIRJET™ 6	 TORONTO AIRJET™ 7
ITEM NUMBER	BW60045GB	BW60025GB-24	BW6001VGB	BW6001WGB
EXTERNAL CONSTRUCTION	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL
INTERNAL BEAM MASSAGE	FORTIFIBER™	FORTIFIBER™	THERMACORE™	THERMACORE™
TECHNOLOGY	AIRJET™ PLUS	AIRJET™ PLUS	AIRJET™	AIRJET™
PUMP TYPE	EXTERNAL	EXTERNAL	ULTRAFIT™ PUMP	ULTRAFIT™ PUMP
ENERGY-EFFICIENT	-	-	YES	YES
USER CAPACITY	3-5 ADULTS	5-7 ADULTS	4-6 ADULTS	5-7 ADULTS
PRINT	GREY	WOOD	GREY STONE	BROWN WOOD
SHAPE	ROUND	ROUND	ROUND	ROUND
INFLATED SIZE	1.55m x 60cm (61" x 24")	1.80m x 66cm (71" x 26")	1.70m x 65cm (67" x 25.5")	1.90m x 70cm (75" x 27.5")
INNER SIZE	1.45m (57")	1.60m (64")	1.50m (59")	1.70m (67")
WATER CAPACITY	804L (213GAL)	1,123L (297GAL)	850L (225GAL)	1,250L (331GAL)
NUMBER OF JETS	140	180	140	180
FEATURES	   	   	    	    

LAY-Z-SPA® WI-FI APP



TURN YOUR HOT TUB ON AND OFF

In a hurry? Don't stress, you can turn your hot tub on and off from anywhere.



ADJUST THE WATER TEMPERATURE

Find out your hot tub's current temperature and select your desired temperature so it's ready when you are.



USE THE TIMER TO SUIT YOUR SCHEDULE

When you've got a busy day ahead, use your timer to set your hot tub so it's ready for when you get home.



VOICE CONTROL

Too relaxed to move? Use your voice to control all aspects of your hot tub. Compatible with most virtual home assistants.



ACTIVATE THE MASSAGE SYSTEM

Experience a full massage at the touch of a button.

QUICK SET-UP

- 1 Download Lay-Z-Spa® Wi-Fi App
(Available on Android and Apple devices)
- 2 Register
- 3 Follow the set-up instructions

MASSAGE SYSTEMS



AIRJET™ SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



HYDROJET PRO™ SYSTEM

HydroJet Pro is the best of both worlds! Adjustable nozzles along the inside walls of the spa release soothing jetstreams of water, while jets along the bottom release a calming flow of air bubbles specifically targeting your feet and back.



LAY-Z-SPA® MATERIAL TECHNOLOGY

PVC CONSTRUCTION

ESSENTIAL STRENGTH AND COMFORT

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.

MAXHOLD™ CONSTRUCTION

PREMIUM AIR RETENTION

MaxHold™ fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.


FORTIFIBER™ CONSTRUCTION

Inflated walls made from FortiFiber™ material provide unparalleled strength. Thousands of fine threads securely connect the sidewalls, which seal in air to create a rigid and sturdy hot tub. Not only great for durability, but this also makes the hot tub more spacious on the inside.

THERMACORE™ CONSTRUCTION

EXCEPTIONAL STABILITY

ThermaCore™ foam construction creates a rigid, firm structure that is exceptionally sturdy and stable. Plus, with built-in foam insulation, it is up to 60% more energy-efficient than its inflatable counterparts.



INDUSTRY-LEADING ENERGY-EFFICIENT CONSTRUCTION

NEW ENERGY EFFICIENT CONSTRUCTION


It is as much as 40 % more energy efficient than a traditional inflatable hot tub

THERMACORE™ CONSTRUCTION

Foam walls speed up heating time and prevents heat loss, making the hot tub as much as 60% more energy efficient than similar spas

NEW ENERGY EFFICIENT CONSTRUCTION + THERMAL COVERS

Based on a 669 L Hot tub, it was calculated that the combination of the new energy solution and the thermal cover can boost the energy efficiency up to 56 %




PUMP TECHNOLOGY

Every Lay-Z-Spa hot tub set comes with a multi-function pump that inflates the hot tub, heats the water and runs the filtration system. Each hot tub is assembled using the pump, no additional tools required!

ULTRAFIT™ PUMP

SPACE-SAVING SOLUTION

Some of our AirJet™ hot tub sets feature the UltraFit pump - a multi-function pump that is built directly into the liner. With all of the same functions as our standard pump, the UltraFit version saves valuable outdoor space, expedites the installation process, and looks sleek and modern.



SETUP & MAINTENANCE

WITH NO TOOLS REQUIRED,
LAY-Z-SPA® SETUP IS QUICK & EASY.

After finding a flat area for the hot tub, it's as easy as 1, 2, 3.

1. INFLATE the hot tub with the multi-function pump.

2. CONNECT the pump to the hot tub, and ensure all of the tubes are attached to the correct openings.

3. FILL the hot tub with water to the indicated level, and enjoy.

Also included with each hot tub is a chemical dispenser & filter cartridge to keep the water sparkling. Maintaining clean and healthy hot tub water is not just important for the user's experience, but it also extends the longevity of the hot tub.

Thanks to a new function available on all hot tubs, the pump can also quickly and conveniently deflate the hot tub for transporting or storing.



1 INFLATE




2 CONNECT



3 FILL

PRODUCT SAFETY

Safety is our top priority when designing and producing our inflatable hot tubs. We are consistently upgrading our products to ensure that consumer safety is never compromised. Currently, Lay-Z-Spa is the only brand on the market that uses this exclusive GDS & GLEDS technology.



GDS

GROUND DETECTION SYSTEM

With safety as a priority, every hot tub is equipped with our advanced, market-leading Ground Detection System, which monitors the energy supply to ensure it is being used safely.

If the system detects an issue, the pump alerts the user and does not allow further use until the power supply is correctly earthed.



GLEDS

GROUND LINE ELECTRIC DETECTION SYSTEM

Once the hot tub is plugged in, the system continuously monitors the ground of the electrical system in the house and will advise the user with the E18 code if there is other electricity detected.

STANDARD SERIES

PVC CONSTRUCTION

ESSENTIAL STRENGTH AND COMFORT

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.





IBIZA

AIRJET™

BW60015GB

- Soothing AirJet™ bubble massage system (140 jets)
- Ultra-strong DuraPlus™ walls are stress tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips



TRI-TECH™ MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium Tri-Tech™ material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Power
Saving
Timer



No Tools
Required



AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



40°C Rapid
Heating
System

CONTENTS: 1 spa, 1 pool cover, 1 spa pump, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch, AirJet™ system




SPECIFICATIONS

Water Capacity (80%)	778 L (205 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.32 m (52")
Filled Weight	807 kg (1,779 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE, GS
Pack / Gross Weight	1 Ea., 37.70 KG (83.11 LBS)

NEW YORK AIRJET™

BW60247GB

- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch

SPECIFICATIONS

Water Capacity (80%)	908 L (240 gal.)
Inflated Size	1.96 m x 66 cm (77" x 26")
Inner Size	1.48 m (58")
Filled Weight	940 kg (2,072 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS(TUV-RL)/EAC/CM
Pack / Gross Weight	1 Ea., 39.42 KG (86.91 LBS)

ENERGYSense® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. Patent-Pending.

TRITECH® MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Power
Saving
Timer



No Tools
Required



AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



40°C Rapid
Heating
System

HOLLYWOOD

AIRJET™

BW60059GB

- Soothing AirJet™ massage system (140 jets)
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Remote-controlled plug-in multicoloured LED light shines through the semi-transparent liner to illuminate the water
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced cover with safety lock clips and insulating lid



7 LED LIGHT STRIP

A choice of 7 coloured LED lights.



TRITECH™ MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech™ material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Power
Saving
Timer



No Tools
Required



AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



Padded
Pillows



7 Colour
LED



40°C Rapid
Heating
System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, filter cartridge (VI), 1 ChemConnect™ dispenser, 1 LED light strip, 4 pillows, repair patch, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	908 L (240 gal.)
Inflated Size	1.96 m x 66 cm (77" x 26")
Inner Size	1.48 m (58")
Filled Weight	938 kg (2,068 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/EAC
Pack / Gross Weight	1 Ea., 36.85 KG (81.24 LBS)

FLORENCE

AIRJET™


BW60249GB

- Soothing AirJet™ bubble massage system (140 jets)
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	778 L (205 gal.)
Inflated Size	1.80 m x 1.80 m x 66 cm (71" x 71" x 26")
Inner Size	1.32 m x 1.32 m (52" x 52")
Filled Weight	809 kg (1,783 lbs)
Rating	220-240V-50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 38.01 KG (83.80 LBS)



7 LED LIGHT STRIP

A choice of 7 coloured LED lights.



TRITECH® MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Power
Saving
Timer



No Tools
Required



180 AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



7 Colour
LED



Padded
Pillows



40°C Rapid
Heating
System



MAXHOLD SERIES



MAXHOLD™ CONSTRUCTION

PREMIUM AIR RETENTION

MaxHold™ fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.



ROME

AIRJET™

BW6001KGB

- Soothing AirJet™ bubble massage system 140 jets
- Massage regulator provides 2 intensity level options
- EnergySense™ insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech™ walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 high pressure hand pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	840 L (222 gal.)
Inflated Size	1.80 m x 71 cm (71" x 28")
Inner Size	1.30 m (51")
Filled Weight	873 kg (1,924 lbs)
Rating	220-240V-50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 40.60Kg (89.51lbs)



ENERGYSense™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.

PATENT-PENDING



MAXHOLD™ MATERIAL

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.



TRITECH™ WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech™ material, providing superior durability, stretch resistance and structural stability.



Freeze Shield™ Technology



Capacity 4-6 People



Smartphone App



Massage Regulation 2 Intensity Levels



Power Saving Timer



No Tools Required



AirJet™ Massage System



Multi-Function Pump



Digital Control Panel



40°C Rapid Heating System

MAURITIUS

AIRJET™

BW60067GB-24

- Soothing AirJet™ massage system (180 jets)
- Ultra-strong DuraPlus™ internal beams and outer walls offer superior structural stability
- Maxhold™ beam maintain their shape, intended pressure and sturdiness over time.
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes two cup holders and is accessible from inside the hot tub
- Reinforced cover with safety lock clips and insulating lid
- Air release valve

NEW WOOD
PRINT DESIGN

MAXHOLD™ BEAMS

Maxhold™ Internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.

TRI-TECH™ CONSTRUCTION- WALL AND TOP RING

The Mauritius™ AirJet's outer surface is constructed with premium Duraplus™ material, providing superior durability, stretch resistance and structural stability.

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	1,370 L (362 GAL.)
Inflated Size	2.70 m x 1.80 m X 71 CM (8'11" x 71" X 28")
Inner Size	2.20 m X 1.30 m (7'3" X 51")
Filled Weight	1,408kg (3,104 lbs)
Rating	220-240V~ 50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0 - 1.5°C/h (2-3°F/h)
Certification	CE/GS/eac/cm
Pack / Gross Weight	1 Ea., 49.87 kg (109.94 lbs)



Freeze
Shield™
Technology



Capacity
5-7 People



Wi-Fi
Connection



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



Smartphone
App



No Tools
Required



180 AirJet™
Massage
System



Digital
Control
Panel



40°C Rapid
Heating
System

SANTORINI

HYDROJET PRO™



BW6001TGB

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- ColourJet LED lights alternate between 7 different colours
- Power-saving, timer-controlled heating system

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, 5 pillows, 2 water powered LED lights, filter cartridge (VI), repair kit, HydroJet Pro™ system

SPECIFICATIONS

Water Capacity (80%)	1,190 L (314 gal.)
Inflated Size	2.16 m x 80 cm (85" x 31.5")
Inner Size	1.66 m (65")
Filled Weight	1254 kg (2,765 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE
Pack / Gross Weight	1 Ea., 77.65 KG (171.19 LBS)



ENERGYSense™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.

PATENT-PENDING

MAXHOLD™ MATERIAL

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

TRITECH® WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze Shield™ Technology



Capacity 5-7 People



Padded Pillows



Massage Regulation 2 Intensity Levels



Smartphone App



No Tools Required



Digital Control Panel



Integrated Seats



7 Colour LED



HydroJet Pro™ Massage System

MALDIVES HYDROJET PRO™

BW6001UGB

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- Massage regulator provides 2 intensity level options
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Colour Jet LED lights alternate between 7 different colours
- Power-saving, timer-controlled heating system



ENERGYSense™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.

PATENT-PENDING



MAXHOLD™ MATERIAL

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.



TRITECH™ WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
5-7
People



Padded
Pillows



Massage
Regulation
2 Intensity Levels



Smartphone
App



Multi-Function
Pump



Digital
Control
Panel



Integrated
Seats



7 Colour
LED



HydroJet
Pro™
Massage
System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, 5 pillows, 2 water powered LED lights, filter cartridge (VI), repair kit, HydroJet Pro™ system

SPECIFICATIONS

Water Capacity (80%)	1,190 L (314 gal.)
Inflated Size	2.16 m x 80 cm (85" x 31.5")
Inner Size	1.66 m (65")
Filled Weight	1254 kg (2,765 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE
Pack / Gross Weight	1 Ea., 77.65 KG (171.19 LBS)

SAN FRANCISCO HYDROJET PRO™


BW6001QGB

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- Jet massage nozzles integrated into the back of the lounges and leg massage integrated into the single lounge
- Massage regulator provides 2 intensity level options
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- ColourJet LED lights alternate between 7 different colours
- Power-saving, timer-controlled heating system

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), 2 water powered LED lights, repair patch, HydroJet Pro™ system 5 Pillows.

SPECIFICATIONS

Water Capacity (80%)	1,180 L (312 gal.)
Inflated Size	2.30 m x 2.30 m x 71 cm (90.5" x 90.5" x 28")
Inner Size	1.80 m x 1.51 m (71" x 71")
Filled Weight	1,258 kg (2,773 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE
Pack / Gross Weight	1 Ea., 96.13 KG (211.93 LBS)



ENERGYSense™ INSULATION


The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.

PATENT-PENDING



MAXHOLD™ MATERIAL

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.



TRITECH™ WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
5-7 People



Wi-Fi
Connection



Padded
Pillows



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



Integrated
Seats



7 Colour
LED




40°C Rapid
Heating
System



FORTIFIBER SERIES

FORTIFIBER CONSTRUCTION

Inflated walls made from FortiFiber™ material provide unparalleled strength. Thousands of fine threads securely connect the sidewalls, which seal in air to create a rigid and sturdy hot tub. Not only great for durability, but this also makes the hot tub more spacious on the inside.




SINGAPORE

AIRJET™

BW60045GB

- Soothing AirJet™ massage system (140 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid
- Built-in Wi-Fi module to control the hot tub through a phone app.



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 high pressure hand pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	804 L (213 gal.)
Inflated Size	1.55 m x 60 cm (61" x 24")
Inner Size	1.45 m (57")
Filled Weight	Filled Weight: 831 kg (1,833 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	Actual Water Flow: 1,325 L/h (350 gal./h)
Heating System	Approx. 1.5 2.0°C/h (3 4°F/h)
Certification	CE/EAC/GS(TUV-RL)
Pack / Gross Weight	1 Ea., 33.514Kg



FORTIFIBER™ MATERIAL

STRENGTH & DURABILITY

The Fortifiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided spa.



Freeze
Shield™
Technology



Capacity
3-5 People



Wi-Fi
Connection



1x
100%
Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



No Tools
Required




140 AirJet™
Massage
System



Digital
Control
Panel



40°C
Rapid
Heating
System



FORTIFIBER™ MATERIAL

STRENGTH & DURABILITY

The Fortifiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided spa.



Freeze Shield™ Technology



Capacity
5-7 People



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



Smartphone
App



No Tools
Required



180 AirJet™
Massage
System



Foot
Massage



40°C Rapid
Heating
System

HELSINKI AIRJET PLUS™

BW60025GB-24

- Soothing AirJet™ massage system (180 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 high pressure hand pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	1,123 L (297 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.70 m (67")
Filled Weight	1,155 kg (2,548 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 40.13 KG (88.47 LBS)

THERMACORE SERIES

THERMACORE™ CONSTRUCTION

EXCEPTIONAL STABILITY

ThermaCore™ foam construction creates a rigid, firm structure that is exceptionally sturdy and stable. Plus, with built-in foam insulation, it is up to 60% more energy-efficient than its inflatable counterparts.



CARRARA

AIRJET™

BW6001VGB

- Soothing AirJet™ targeted bubble massage system (140 jets)
- Massage regulator provides 2 intensity level options
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- Ultra-strong Tritech® wall cover is stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use with power saving time
- UltraFit™ pump built into the liner with flip-up control panel
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Reinforced safety cover with lock clips

CONTENTS: 1 hot tub, 1 pool cover, 4 pillows, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet Plus™ system

SPECIFICATIONS

Water Capacity (80%)	850 L (225gal.)
Inflated Size	1.70 m x 65 cm (67" x 25.5")
Inner Size	1.5 m (67")
Filled Weight	882 kg (1,945 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (4-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 44.67 KG 98.48 LBS)

THERMACORE™ CONSTRUCTION

ThermaCore™ hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.

TRITECH® MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Smartphone
App



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



No Tools
Required



Padded
Pillows



180 AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



40°C Rapid
Heating
System

TORONTO

AIRJET™


BW6001WGB

- Soothing AirJet™ targeted bubble massage system (180 jets)
- Massage regulator provides 2 intensity level options
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- Ultra-strong Tritech® wall cover is stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use with power saving time
- UltraFit™ pump built into the liner with flip-up control panel
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Reinforced safety cover with lock clips

CONTENTS: 1 hot tub, 1 pool cover, 5 pillows
1 hot tub pump, 1 ChemConnect™ dispenser,
filter cartridge (VI), repair kit, Smart AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	1,250 L (331 gal.)
Inflated Size	1.90 m x 70 cm (75" x 27.5")
Inner Size	1.70 m (67")
Filled Weight	1,288 kg (2,840 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.1-1.6°C/h (2.2-3.2°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 50.57 KG (111.49 LBS)



THERMACORE™ CONSTRUCTION

ThermaCore™ hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.

TRITECH® MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Smartphone
App



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



No Tools
Required



Padded
Pillows



180 AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



40°C Rapid
Heating
System



ACCESSORIES TO COMPLEMENT YOUR LAY-Z-SPA®.

Make maintenance easy and elevate the luxury and comfort of your hot tub with an array of accessory options from Lay-Z-Spa®.

NEW



4-IN-1 ACCESSORY TRAY

BW60337

- 33.7 cm x 30.2 cm x 18.15 cm / 13.3" x 11.89" x 7.15"
- Multi-function tray with a table, splash-proof storage compartment, towel hangers and tablet holder
- Legs can be adjusted to a custom width depending on wall thickness - from 5-25 cm (2"-9.8")
- Compatible with all Lay-Z-Spas
- Full colour box
- 2 Ea., 3.59 kg (7.91 lbs)



Table



Storage
Compartment



Towel Hangers



Tablet Holder

LAY-Z-SPA® SEAT

BW60321

- Firm, sturdy spa seat is comfortable for hours of relaxation
- Seat legs can be adjusted to a custom height - from 8-12 cm (3.15-4.72 in)
- Weighted seats remain at the bottom of the hot tub
- Full colour box
- 2 Ea., 6.14 kg (13.54 lbs)





LAY-Z-SPA® DRINKS HOLDER

BW60306

- Keep beverages or snacks close by while you relax
- Position anywhere on the top of hot tub sidewall
- Compatible with all Lay-Z-Spas® (except drop stitch models)
- Includes two drinks holders and one tray
- Full colour box
- 12 Ea., 8.95 kg (19.73 lbs)



LAY-Z-SPA® FOOTBATH

BWA0011


- Wash feet before entering the hot tub
- Helps to prevent dirt and debris from being walked into your hot tub
- Non-slip design provides grip for your feet when entering your hot tub for added safety
- Made from durable and robust material for long lasting use
- Generous size is big enough to fit all feet sizes
- Full colour box
- 12 Ea



LAY-Z-SPA® PILLOW

BW60307

- Soft pillow provides head and neck support
- Organic PU foam is 100% waterproof and resistant to chemicals and odours
- Compatible with all Lay-Z-Spas® (except drop stitch models)
- Easy to clean
- Full colour box
- 4 Ea., 3.96 kg (8.73 lbs)
- Contents: 2 pillows



LAY-Z-SPA® PADDED PILLOW

BW60316

- Size: 23 cm x 13 cm x 5 cm (9 in. x 5 in. x 2 in.)
- Ergonomic design provides head and neck support
- Customizable pillow height using the adjustable strap and balance weight to keep it in place
- Compatible with all Lay-Z-Spa® models and most bathtubs
- Comfortable sponge pillow is covered with a washable mesh fabric
- 12 Ea., 4.16 kg (9.17 lbs)
- Contents: 2 pillows



LED FLOATING HOT TUB LIGHT

BW58419

- Beautiful display: 4 super bright LEDs in 4 colours (yellow, red, blue and green) with 7 flashing light modes
- Easy to operate: simply press on button on the top of the ball
- No wiring or outside electrical power required
- Powered by 3xAAA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8' wide and 5' deep
- Shuts off automatically after one hour when not in use
- Full colour box
- 12 Ea., 4.5 kg (9.9 Lb.)



LAY-Z-SPA® UNDERWATER LED LIGHT

BW60303

- Uses 3 AAA batteries (not included)
- IP68 waterproof
- LED light alternates between 7 colours
- 2 hours of run time with auto-shutoff feature
- One-touch operation: simply press top button
- Full colour box
- 6 Ea., 0.98 kg (2.16 lbs)



LAY-Z-SPA® SOOTHING LED WATERFALL


BW60322-25

- LED light alternates between 7 colours
- IP66 waterproof rating - protects from powerful streams of water and dust
- 2 hours of run time with auto-shutoff feature
- Magnetic attachment system for easy setup
- One-touch operation: simply press bottom button
- Uses 3 AAA batteries (not included)
- Full colour box
- 4 Ea., 4.22 kg (9.30 lbs)



7 LED LIGHTS

A choice of 7 coloured LED lights.



LAY-Z-SPA® THERMAL COVERS

AN INSULATING COVER SPEEDS UP HEATING TIME AND PREVENTS HEAT LOSS MAKING THE HOT TUB UP TO 40% MORE ENERGY EFFICIENT.

THERMAL COVERS COMBINED WITH NEW ENERGYSense™ OR THERMACORE SPAS WILL BOOST ENERGY EFFICIENCY EVEN FURTHER



SAFETY CLIP



REMOVABLE COVER




EASY ACCESS



SECURE STRAP

LAY-Z-SPA® ENERGYSENSE™ THERMAL HOT TUB ROUND COVERS




- Increases energy efficiency of the spa
- DuraPlus™ waterproof surface material increases cover durability
- Zipper door for built-in pump or external pump connection
- Full colour box



ITEM	SIZE	COMPATIBILITY	SPA MODELS	WEIGHT
BW60330	1.70 m x 66 cm / 67" x 26"	Compatible with round spas with diameters of 1.70 m (67") and heights of 66 cm (26")	60037, 60061, 6001V	1 EA., 6.69 KG (14.75 LBS)
BW60317	1.80 m x 66 cm / 71" x 26"	Compatible with round spas with diameters of 1.80 m (71") and heights of 66 cm (26")	60001, 60003, 60005, 60025, 60035, 60085, 60175, 60065, 6001C	1 EA., 7.38 KG (16.27 LBS)
BW60318	1.96 m x 71 cm / 77" x 28"	Compatible with round spas with diameters of 1.96 m (77") and heights of 71 cm (28")	60017, 60019, 60029, 60059, 60165, 6001W, 60013, 60179, 6001D, 6001G, 6001N, 6001S	1 EA., 7.72 KG (17.02 LBS)
BW60326	2.16 m x 80 cm / 85" x 31.5"	Compatible with round spas with diameters of 2.16 m (85") and heights between 71 cm (28") and 80 cm (31.5")	60023, 60075, 6001P, 6001T	1 EA., 10.42 KG (22.97 LBS)
BW60331	2.36 m x 71 cm / 93" x 28"	Compatible with round spas with diameters of 2.36 m (93") and heights of 71 cm (28")	60135	1 EA., 11.60 KG (25.57 LBS)

LAY-Z-SPA® ENERGYSENSE™ THERMAL HOT TUB SQUARE COVERS



- Increases energy efficiency of the spa
- DuraPlus™ waterproof surface material increases cover durability
- Zipper door for built-in pump or external pump connection
- Full colour box

ITEM	SIZE	COMPATIBILITY	SPA MODELS	WEIGHT
BW60319	1.80 m x 1.80 m x 71 cm / 71" x 71" x 28"	Compatible with square spas with lengths of 1.80 m (71") and heights of 71 cm (28")	60015, 60021, 60167, 60261, 6001F, 6001R, 60031, 6001K, 6001H	1 EA., 7.54 KG (16.62 LBS)
BW60332	2.01 m x 2.01 m x 80 cm / 79" x 79" x 31.5"	Compatible with square spas with lengths of 2.01 m (79") and heights of 80 cm (31.5")	60033, 6001M, 6001U	1 EA., 11.13 KG (24.54 LBS)
BW60333	2.30 m x 2.30 m x 71 cm / 90.5" x 90.5" x 28"	Compatible with square spas with lengths of 2.30 m (90.5") and heights of 71 cm (28")	60161 , 6001Q	1 EA., 12.60 KG (27.78 LBS)





LAY-Z-SPA® CANOPY

BW60304

- 1.83 m x 94 cm x 1.09 m / 6' x 37" x 43"
- Fabric with UV protection
- High density, ventilated mesh windows
- Two removable guy lines to provide stability
- Fits all Lay-Z-Spa® models (except St. Lucia and Vancouver)
- Full colour box
- 3 Ea. 4.09 kg (9.02 lbs)
- Contents: 1 tent, 3 poles, 2 guy lines, 1 storage bag



LAY-Z-SPA® DOME

BW60305


- 3.90 m x 3.90 m x 2.55 m / 12'9" x 12'9" x 8'4"
- Fabric with UV protection
- Fits all Lay-Z-Spa® models
- 4 large inside pockets to store personal items
- 4 detachable fabric and mesh doors, suitable for both winter and summer
- Suitable as a gazebo for use in the garden or backyard
- Can be used for pools up to 3.66 m (12") diameter
- Setup time: 15 min.
- Full colour box
- 2 Ea., 29.65 kg (65.37 lbs)
- Contents: 1 tent, 4 detachable fabric doors, 4 detachable mesh doors, carry bag



LAY-Z-SPA® ROUND FLOOR PROTECTOR

BW13222

- 2.11 m x 2.11 m / 83" x 83"
- Square floor protector 40 cm x 50 cm (15.5" x 19.5") mat for hot tub heater
- Durable polyethylene material that provides protection for your hot tub
- Package contains 10 pieces (9 attachable, 1 individual)
- Full colour box
- 4 Ea., 9.89 kg (21.8 lbs)



LAY-Z-SPA® SQUARE FLOOR PROTECTOR

BW60309

- 2.16 m x 2.16 m / 85" x 85"
- Square protector 40 cm x 50 cm (15.5" x 19.5") mat for hot tub heater
- Durable polyethylene material that provides protection for your hot tub
- Package contains 10 pieces (9 attachable, 1 individual)
- Compatible with all Lay-Z-Spa® hot tubs smaller than 2.16 m (85")
- Shrink wrapped with insert card
- 4 Ea., 10.48 kg (23.10 lbs)





800 GAL DRAIN PUMP

BW58230GB-24

- Pumps 800gal (3,028L) per hour, 220-240V~50Hz, 85W
- Quick and easy way to drain your pool/spa water
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 5m (16.4') long, 3.2cm (1.25") diameter
- Includes two adaptors to connect garden hose
- CE approved
- 4 Ea, 13.1kg (28.9Lb)



LAY-Z-SPA® UNDERWATER VACUUM

BW60323

- Compatible with Bestway AirJet™ & AirJet Plus™ hot tubs
- Connects to the water outlets on the hot tub and uses the water flow to create suction
- Lightweight pole to easily manoeuvre the vacuum around the liner of the hot tub
- Features a brush head and reusable debris bag
- Full colour box
- 6 Ea., 4.98 kg (10.98 lbs)



RECHARGEABLE UNDERWATER VACUUM

BW60327

Rechargeable battery-powered pump creates suction, without the use of hoses or electrical cords

- Consistent performance for 50 minutes
- Charge time: 4-5 hours
- Simple press-button operation
- Ideal for spas and small pools
- Pivoting suction head with wheels and brushes
- Debris is collected in an easy-to-access and
- Easy-to-empty stainless steel filter
- Full colour box
- 4 Ea., 4.70 kg (10.36 lbs)



TWO-SECTION POLE
with total reach of approximately
1.55 m / 5.1'

TRANSPARENT BODY
shows debris level

RECHARGEABLE
plug, charge, and clean!

PIVOTING SUCTION HEAD



VINYL REPAIR KIT

BWAO010

- 15cm x 10cm patch x 1
- 3 size circle patches 40mm, 70mm & 100mm x 3 of each
- Application tool
- 60ml glue
- Full colour box
- 12/48 Qty

LAY-Z-SPA® ALL-IN-ONE TOOL SET

BW60310

Scoop:

- Bumper protects hot tub surface
- Round shaped design fits the contours of the hot tub interior
- Deep net to collect debris
- Handheld or connects to standard telescopic pole

Brush:

- Bumper and nylon bristles protect hot tub's surface
- Handheld or connects to standard telescopic pole

Scrubbing Mitt:

- Scrub along hot tub water line
 - Latex glove bonded with scrubber pad
 - Full colour box
 - 8 Ea., 7.3 kg (16.09 lbs)
- Contents: 1 scoop, 1 brush, 1 scrubbing mitt





FILTER CARTRIDGE VI BOX (12 PACK)

BW15196

- 10.6cm x 8.0cm / 4.2" x 3.1"
- Easy to clean
- Contains 12 filter cartridges
- Replacement cartridge for Lay-Z-Spa®
- 1 Set., 2.79 kg (6.15 lbs)
- Contents: 6 x twin packs



FILTER CARTRIDGE VI (2 PACK)

BW60311

- 10.6 cm x 8.0 cm / 4.2" x 3.1"
- Easy to clean
- Shrink wrapped with insert card
- 6 Ea., 2.79 kg (6.15 lbs)
- Contents: 2 filter cartridges



5" CHEMICAL FLOATER

BW58210-24

- 12.7cm / 5"
- Dispenses 2.5cm (1") chemical tablets, adjustable dial to control the release of chemicals
- No tablets included
- Colour insert card
- 24 Ea., 2.1 kg (4.7 lbs)





LAY-Z-SPA® POLYCARBONATE WINE GLASS

BWA0006

- 4pc Polycarbonate wine glasses
- Glasswasher/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and drug approved material
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 312ml
- Product size: L18.8cm x W8.1cm
- Packaging: Full colour box
- 8 Ea



LAY-Z-SPA® POLYCARBONATE BEER GLASS

BWA0007

- 4pc Polycarbonate beer glasses
- Glasswasher/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and drug approved material
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 420ml
- Product size: L17.9cm x W7.3cm
- Packaging: Full colour box
- 8 Ea



LAY-Z-SPA® POLYCARBONATE CHAMPAGNE FLUTE

BWA0008

- 4pc Polycarbonate champagne flutes
- Glasswasher/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and drug approved material
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 187ml
- Product size: L21.9cm x W6.7cm
- Packaging: Full colour box
- 8 Ea



LAY-Z-SPA® POLYCARBONATE TUMBLER

BWA0009

- 4pc Polycarbonate tumbler glasses
- Glasswasher/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and drug approved material,
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 340ml
- Product size: L15.7cm x W6.3cm
- Packaging: Full colour box
- 8 Ea

ClearWater®

For simple and easy maintenance of your hot tub, CLEARWATER® has a range of chemical options to choose from.



MULTI-AWARD
WINNING RANGE.

UK Pool & Spa Awards 2018 & 2019.



AVERAGE RATING OF 4.6/5
ACROSS 90,000 REVIEWS.

According to verified reviews from stockists
as of 7th July 2022.



ADHERES TO ALL EU
GUIDELINES &
REGULATIONS.



HOT TUB STARTER KIT

CH0018

- 500g Chlorine Granules
- 500g pH Plus
- 500ml Foam Remover
- 700g pH Minus
- 25 Test Strips
- Spa Treatment Guide
- 6 Pcs



1KG CHLORINE GRANULES

CH0010

- Disinfects pool and hot tub water to keep it free from bacteria
- Easy-to-use rapid dissolving granules
- 6 Pcs



5KG CHLORINE GRANULES

CH0040

- Disinfects pool and hot tub water to keep it free from bacteria
- Easy-to-use rapid dissolving granules
- 4 Pcs



5KG CHLORINE GRANULES

CH0004

- Disinfects pool and hot tub water to keep it free from bacteria
- Easy-to-use rapid dissolving granules
- 4 Pcs



FAST ACTION TABS

CH0022

- Includes 167 x 3g tablets
- Fast dissolving chlorine tablets allow precision dosing and easy handling benefits
- Minimal impact on pH levels
- 12 Pcs



1KG MULTI FUNCTION CHLORINE TABLETS

CH0019

- Includes 50 x 20g tablets
- Slow release chlorine, algaecide and clarifier
- Suitable for use in chemical floaters 58210, 58071 and ChemConnect™ dispenser
- 6 Pcs



5KG MULTI FUNCTION CHLORINE TABLETS

CH0041

- Includes 250 x 20g tablets
- Slow release chlorine, algaecide and clarifier
- Suitable for use in chemical floaters 58210 & 58071 and ChemConnect™ dispenser
- 4 Pcs

1KG pH PLUS

CH0005

- Increases pH level of hot tub water
- Maintains comfortable pH levels for the skin
- Enables chlorine treatment to work more effectively
- 6 Pcs



1.5KG pH MINUS

CH0008

- Decreases pH level of hot tub water
- Maintains comfortable pH levels for the skin
- Enables chlorine treatment to work more effectively
- 6 Pcs



1KG TA PLUS

CH0030

- Increases total alkalinity of pool and hot tub water
- 6 Pcs



1LTR ALGAECIDE

CH0006

- For the treatment and prevention of algae growth
- 6 Pcs



1LTR CLARIFIER

CH0009

- Binds small particles together to enable them to be filtered
- Prevents hot tubs & pool water from looking dull
- Helps keep hot tubs & pool water sparkling AND clear
- 6 Pcs



1LTR FOAM REMOVER

CH0007

- To prevent and control excess foam in hot tub water
- 6 Pcs





1LTR CARTRIDGE CLEANER

CH0031

- Removes oils and greases from cartridges
- Restores filter efficiency
- Cleans up to 20 filters
- 6 Pcs



1LTR SCALE & STAIN CONTROLLER

CH0021

- For the prevention and removal of scale and stains
- Especially useful in hard water areas
- Also used for the removal and control of metal stains
- 6 Pcs



500ML ANTI BAC VINYL CLEANER

CH0045

- External vinyl surface cleaner
- Anti Bacterial
- Effectively removes dirt and stains
- 6 Pcs





25 DIP TESTS

CH0012

- Includes 25 x dip test strips
- Simply dip into the water and remove to test chemical levels
- Easy-to-read colour scale to check results
- Indicates chlorine, pH & alkalinity levels
- 10 / 100



MEASURING SET

CH0032

- 2 measuring jugs
- 1 mixing rod
- 3 measuring spoons
- 5ml, 10ml & 50ml
- 12 Pcs



50 DIP TESTS

CH0043

- Includes 50 x dip test strips
- Simply dip into the water and remove to test chemical levels
- Easy-to-read colour scale to check results
- Indicates chlorine, pH & alkalinity levels
- 10 / 100



ABSORBABALL

CH0046

- Effectively removes oils and dirt from the surface of your hot tub or pool
- Wash and reuse
- Floats on the surface of your hot tub and pool
- 3pc
- 12/36





MIRACLE CLEANING PAD (3 PACK)

CH0025

- Clean all areas of your hot tub & pool without the use of chemicals or detergents
- For use above and below the waterline
- 3 Pc Pack
- 16/64



MIRACLE CLEANING PAD (24 PACK DISPLAY)

CH0026

- Clean all areas of your hot tub & pool without the use of chemicals or detergents
- For use above and below the waterline
- 24 Pc Display Box
- 24/96



CHEMICAL DISPLAY STAND

PM0079

- Display stand, supplied empty.
- Size: H:164cm, W:64cm, D:31cm
- 1 Pcs



DEAD SEA SALTS FOR HOT TUBS



1KG EXOTIC COCONUT & VANILLA DEAD SEA SALT

CH0033

- 100% Dead Sea Salts
- Vegan Friendly
- Relaxes Muscles
- Not tested on Animals
- Zip Lock Bag to retain freshness
- 12pcs



1KG CALMING LAVENDER DEAD SEA SALT

CH0034

- 100% Dead Sea Salts
- Vegan Friendly
- Relaxes Muscles
- Not tested on Animals
- Zip Lock Bag to retain freshness
- 12pcs



1KG RE-ENERGISING EUCALYPTUS DEAD SEA SALT

CH0035

- 100% Dead Sea Salts
- Vegan Friendly
- Relaxes Muscles
- Not tested on Animals
- Zip Lock Bag to retain freshness
- 12pcs



UK Sales Contacts

1. David Shepherd

Area Sales Manager
07958 002195
dave.shepherd@wiltonbradley.com

2. Ian Jenkins

Area Sales Manager
07967 563223
ian.jenkins@wiltonbradley.com

3. Shaun Bowden

Area Sales Manager
07415 120501
shaun.bowden@wiltonbradley.com

4. Phil Cumper

Area Sales Manager
07989 541767
phil.cumper@wiltonbradley.com

5. Matt Folds

Area Sales Manager
07866 482544
matt.folds@wiltonbradley.com

Mike Gascoigne

Senior National Accounts Manager
07970 578883
mike.gascoigne@wiltonbradley.com

Pete Minch

Senior National Accounts Manager
07939 231084
pete.minch@wiltonbradley.com

Hong Kong Office Contact

Wingi Chau

Director
+852 3468 8002
wingi@wiltonbradley.com.hk
Address: Wilton Bradley
(Hong Kong) Limited
409-410 4th Floor,
New East Ocean Centre,
Science Museum Rd,
Tsim Sha Tsui East

Sales Enquiries

UK Sales Office

01626 837947
sales@wiltonbradley.com

Head Office Contacts

Tom Ellyatt

Marketing and Ecommerce Director
01626 835400
tom.ellyatt@wiltonbradley.com

Ross Bradley

Sales Director
+44 7725 836155
ross.bradley@wiltonbradley.com

General Enquiries

01626 835400

Bestway

Registered address:

8 Wentworth Road, Heathfield Ind Est,
Newton Abbot, Devon, UK TQ12 6TL.
Company number 09476216.
Design rights © Wilton Bradley Ltd.

Wilton Bradley (Hong Kong) Ltd,
Unit 409-410 4/F, New East Ocean
Centre, 9 Science Museum Road, Tsim
Sha Tsui, Kowloon, Hong Kong.

Bestway

LAY-Z-SPA



WILTON BRADLEY LTD
8 Wentworth Road, Heathfield Ind Est,
Newton Abbot, Devon TQ12 6TL
Tel: 01626 835400
Fax: 01626 836656
Email: sales@wiltonbradley.com
www.wiltonbradley.com

OUR AIM IS TO PROVIDE OUR CUSTOMERS WITH:

- Prompt delivery nationwide
- Competitive prices
- Huge range of quality products
- Friendly and efficient service

Minimum carriage paid order £400.00. You are welcome to come and visit our showroom by prior arrangement.

E&OE