

A man and a woman are relaxing in a Lay-Z-Spa hot tub. The hot tub is dark brown with a blue interior and is situated on a paved patio. In the background, there are white lounge chairs, a stone wall, and a house with large windows. A small wooden table next to the hot tub holds a vase of flowers and two glasses of orange juice. A larger wooden table to the left holds a bowl of fruit. The scene is set in a garden with various plants and a staircase in the background.

LAY-Z-SPA®

LAY-Z-SPA®
TORONTO

Bestway

IN PARTNERSHIP WITH
WILTON BRADLEY LTD

2026 COLLECTION



TIME TO RELAX

The Lay-Z-Spa collection comes with a range of premium features such as WiFi, power-saving timer and Freeze Shield®, innovative technology, award-winning energy-saving construction and more.

Available in a variety of different shapes, sizes, styles and materials, there is something for everyone. Setting up is easy, which means you can inflate, fill up and begin to enjoy the soothing massage system and 40°C water in next to no time.

The entire collection comes with a range of premium features as standard. This includes insulating inflatable lids, digital pumps with built-in drinks holders, a power-saving timer and Freeze Shield™ technology so you can use the hot tub all year round.

Explore our 2026 catalogue and find out why you should choose Lay-Z-Spa®.



CONTENTS

What Sets Us Apart	04	STANDARD SERIES SPA	15	MAXHOLD SERIES SPA	23	FORTIFIBER SERIES SPA	31
B the Change	05	Cancun Airjet™	16	Rome Airjet™	22	Helsinki Airjet™	32
Collection	06	Boracy	17	Tuscany Airjet™	25	THERMACORE SERIES SPA	33
Wi-Fi App	09	Fiji Airjet™	18	Mauritius Airjet™	26	Carrara Airjet™	34
Massage Systems	10	Ibiza Airjet™	19	Grenada Hydrojet™	27	Toronto Airjet™	35
Construction	11	New York Airjet™	20	Santorini Hydrojet Pro™	28	XTRAS ACCESSORIES	36
Pump Technology	12	Hollywood Airjet™	21	Maldives Hydrojet Pro™	29	THERMAL COVERS	41
Product Safety	13	Florence Airjet™	22	San Francisco Hydrojet Pro™	30	ICE BATHS	48
Setup & Maintenance	14					CLEARWATER	54
						TRANQUIL SPA SALTS	58

WHAT SETS US APART

- OVER 1 MILLION CUSTOMERS IN THE UK.

- MOST SEARCHED HOT TUB BRAND IN THE UK.

According to 2025 Google Trends Data.

- THE MOST ENERGY EFFICIENT INFLATABLE HOT TUB BRAND.

Based on an independent study of comparable products by comparable brands. (Study completed by SGS Laboratories.)

- MULTI AWARD WINNING RANGE.



- THE UK'S MOST 5-STAR REVIEWED HOT TUB BRAND.

According to verified reviews from Amazon and Trustpilot as of 11th May 2024.



- SCIENTIFICALLY PROVEN HEALTH BENEFITS

Research found that using a Lay-Z-Spa has positive benefits to mental health and cardiovascular health.

More info at lay-z-spa.co.uk/health-and-wellbeing





OUR COMMITMENT TO A *better future*

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1,8 million square meters of factory buildings, each covered in solar panels to equal about 40 football fields.

As an annual recipient of the “Top Performing Supplier on Climate Action” award, we continue to drive sustainable practices forward through three main categories: **renewable resources, waste and packaging.**



Bestway Nantong



Ongoing Energy Reduction Projects to Reduce Emissions




Reuse 38 Categories of Materials



Reused Water in Multiple Facilities



Annual CDP Disclosure



STANDARD SERIES

FEATURE GUIDE	 CANCUN AIRJET™4	 BOROCAY AIRJET™4	 FIJI AIRJET™6	 IBIZA AIRJET™ 6	 NEW YORK AIRJET™ 6	 HOLLYWOOD AIRJET™ 6	 FLORENCE AIRJET™ 6
ITEM NUMB	BW60003GB	BW60175GB	BW6004UGB	BW6002UGB	BW60247GB	BW60059GB	BW60249GB
EXTERNAL CONSTRUCTION	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL
INTERNAL BEAM	PVC BEAM	PVC BEAM	PVC BEAM	PVC BEAM	PVC BEAM	PVC BEAM	PVC BEAM
MASSAGE TECHNOLOGY	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™
PUMP TYPE	EXTERNAL PUMP	EXTERNAL PUMP	EXTERNAL PUMP	EXTERNAL PUMP	EXTERNAL PUMP	EXTERNAL PUMP	EXTERNAL PUMP
ENERGY - EFFICIENT	-	-	-	YES	YES	-	-
USER CAPACITY	2-4 ADULTS	2-4 ADULTS	4-6 ADULTS	4-6 ADULTS	4-6 ADULTS	4-6 ADULTS	4-6 ADULTS
PRINT	GREY	BLUE MARBLE	GREY	DARK GREEN	DARK GREEN	BLACK WAVES	MARBLE
SHAPE	ROUND	ROUND	ROUND	SQUARE	ROUND	ROUND	SQUARE
INFLATED SIZE	1.80M X 66CM (71" X 26")	1.80M X 66CM (71" X 26")	1.96M X 66CM (77"X26")	1.80M X 1.80M X 66CM (71" X 71" X 26")	1.96M X 66CM (77" X 26")	1.96M X 66CM (77" X 26")	1.80M X 1.80M X 66CM (71" X 71" X 26")
INNER SIZE	1.32M (52")	1.32M (52")	1.48M (58")	1.32M X 1.32M (53"X 52")	1.48M (58")	1.48M (58")	1.30M X 1.30M (51" x 51")
WATER CAPACITY	669L (77GAL)	669L (77GAL)	908L (240GAL)	778L (205GAL)	908L (240GAL)	908L (240GAL)	908L (240GAL)
NUMBER OF JETS	120	120	140	140	140	140	140
FEATURES						  	  



FREEZE
SHIELD™



7-COLOUR
LED LIGHTS



FOOT
MASSAGE



MASSAGE
REGULATION



IS INTEGRATED
SEATS



PILLOWS

MAXHOLD™ SERIES

						
ROME AIRJET™ 6	TUSCANY AIRJET™7	MAURITIUS AIRJET™ 7	GRENADA AIRJET™8	SANTORINI HYDROJET™ 7	MALDIVES HYDROJET™ 7	SAN FRANCISCO HYDROJET™ 7
BW6001KGB	BW6004WGB	BW60067GB-24	BW6004XGB	BW6001TGB	BW6001UGB	BW6001QGB
TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL
MAXHOLD™ BEAMS	MAXHOLD™ BEAMS	MAXHOLD™ BEAMS	MAXHOLD™ BEAMS	MAXHOLD™ BEAMS	MAXHOLD™ BEAMS	MAXHOLD™ BEAMS
AIRJET™	AIRJET™	AIRJET™	AIRJET™	HYDROJET PRO™	HYDROJET PRO™	HYDROJET PRO™
ULTRAFIT™PUMP	ULTRAFIT™PUMP	EXTERNAL PUMP	ULTRAFIT™PUMP	EXTERNAL PUMP	EXTERNAL PUMP	EXTERNAL PUMP
YES	YES	-	YES	YES	YES	YES
4-6 ADULTS	5-7 ADULTS	5-7 ADULTS	6-8 ADULTS	5-7 ADULTS	5-7 ADULTS	5-7 ADULTS
BROWN MARBLE	SAND MARBLE	GREY	GREY	GREY	BURGUNDY	GREY MARBLE
SQUARE	SQUARE	OVAL	ROUND	ROUND	SQUARE	SQUARE
1.80m x 1.80m x 71cm (71" x 71" x 28")	2.01m x 2.01m x 71cm (79" x 71" x 28")	2.70m x 2.70m x 71cm (107" x 71" x 28")	2.36m x 71cm (93" x 28")	2.16m x 80cm (85" x 31.5")	2.01m x 2.01m x 80cm (79" x 79" x 31.5")	2.30m x 2.30m x 71cm (90.5" x 90.5" x 28")
1.30m x 1.80m (51" x 51")	1.51m x 1.51m (59" x 59")	2.20m x 1.30m (7'3"362")	1.91m (59")	1.66m (65")	1.51m X 1.51m (59" x 59")	1.80m x 1.80m (71" x 71")
840L (222GAL)	1,180L (312GAL)	1,370L (362GAL)	1,440L (380GAL)	1,190L (314GAL)	1,050L (277GAL)	1,180L (312GAL)
140	180	180	190	10 JETSTREAM NOZZLES AND 180 JETS	10 JETSTREAM NOZZLES AND 180 JETS	10 JETSTREAM NOZZLES AND 180 JETS
  	 	  	 	      	      	      



SMARTPHONE
APP



FREEZE
SHIELD™



7-COLOUR
LED LIGHTS



FOOT
MASSAGE



MASSAGE
REGULATION



INTEGRATED
SEATS



PILLOWS

FORTIFIBER™ SERIES

THERMACORE™ SERIES

FEATURE GUIDE	 HELSINKI AIRJET™ 7	 CARRARA AIRJET™ 6	 STOCKHOLM AIRJET™ 6	 TORONTO AIRJET™ 7
ITEM NUMB	BW60025GB-24	BW6001VGB	BW60229GB	BW6001WGB
EXTERNAL CONSTRUCTION	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL	TRITECH™ MATERIAL
INTERNAL BEAM	FORTIFIBER™	THERMACORE™	THERMACORE™	THERMACORE™
MASSAGE TECHNOLOGY	AIRJET™ PLUS	AIRJET™	AIRJET™	AIRJET™
PUMP TYPE	EXTERNAL	ULTRAFIT™ PUMP	ULTRAFIT™ PUMP	ULTRAFIT™ PUMP
ENERGY - EFFICIENT	-	YES	YES	YES
USER CAPACITY	5-7 ADULTS	4-6 ADULTS	4-6 ADULTS	5-7 ADULTS
PRINT	WOOD	GREY STONE	BLACK	BROWN WOOD
SHAPE	ROUND	ROUND	SQUARE	ROUND
INFLATED SIZE	1.80m x 66cm (71" x 26")	1.70m x 65cm (67" x 25.5")	1.64m x 1.64cm x 65cm (64.5" x 64.5" x 27.5")	1.90m x 70cm (75" x 27.5")
INNER SIZE	1.60m (64")	1.50m (59")	1.44m (56")	1.70m (67")
WATER CAPACITY	1,123L (297GAL)	850L (225GAL)	950L (251GAL)	1,250L (331GAL)
NUMBER OF JETS	180	140	140	180
FEATURES	   	    	    	    

GLACIAL DIP™ ICE BATH SERIES

		
GLACIAL DIP POD	GLACIAL DIP TUB PRO	GLACIAL DIP TUB
BW6003PGB	BW6003QGB	BW6002QGB
TRITECH™ SIDEWALLS & STEEL FRAME	TRITECH™ SIDEWALLS & STEEL FRAME	TRITECH™
		FORTIFIBER
FILTER PUMP	FILTER PUMP	FILTER PUMP
1 ADULT	2 ADULTS	2 ADULTS
BLACK	BLACK	BLACK MARBLE
ROUND	OVAL	OVAL
90m x 80cm (35.5" x 31.5")	1.50m x 90cm X 65cm (59" x 35.5" x 25.5")	1.52m x 92cm X 71cm (60" x 36" x 28")
253L (67GAL)	431L (114GAL)	420L (111GAL)
		

 FREEZE
SHIELD™

LAY-Z-SPA® WI-FI APP



TURN YOUR HOT TUB ON AND OFF
In a hurry? Don't stress, you can turn your hot tub on and off from anywhere.




ADJUST THE WATER TEMPERATURE
Find out your hot tub's current temperature and select your desired temperature so it's ready when you are.



USE THE TIMER TO SUIT YOUR SCHEDULE
When you've got a busy day ahead, use your timer to set your hot tub so it's ready for when you get home.



ACTIVATE THE MASSAGE SYSTEM
Experience a full massage at the touch of a button.



QUICK SET-UP


- 1 Download Lay-Z-Spa® Wi-Fi App
(Available on Android and Apple devices)
- 2 Register
- 3 Follow the set-up instructions

MASSAGE SYSTEMS



AIRJET™ SYSTEM

Soothe your body and relax your mind with the touch of a button! The Airjet work by releasing warm air into the water, surrounding you with a calming bubble massage.



HYDROJET PRO™ SYSTEM

HydroJet Pro is the best of both worlds! Adjustable nozzles along the inside walls of the spa release soothing jetstreams of water, while jets along the bottom release a calming flow of air bubbles specifically targeting your feet and back.



LAY-Z-SPA® MATERIAL TECHNOLOGY

ULTRA-STRONG TRI TECH® MATERIAL

Every Lay Z Spa is made using ultra-strong UV protective triple ply reinforced TriTech® material. The strongest inflatable hot tub material on the market.

MAXHOLD™ BEAMS

Many inflatable Lay Z Spa hot tubs now include strong, stretch-resistant MaxHold™ is a unique fabric instead of PVC.


FORTIFIBER™ CONSTRUCTION

Inflated walls made from FortiFiber™ material provide unparalleled strength. Thousands of fine threads securely connect the sidewalls, which seal in air to create a rigid and sturdy hot tub. Not only great for durability, but this also makes the hot tub more spacious on the inside.

THERMACORE™ CONSTRUCTION

EXCEPTIONAL STABILITY

ThermaCore™ foam construction creates a rigid, firm structure that is exceptionally sturdy and stable. Plus, with built-in foam insulation, it is up to 60% more energy-efficient than its inflatable counterparts.



INDUSTRY-LEADING ENERGY-EFFICIENT CONSTRUCTION

Lay-Z-Spa is continuously expanding its innovative award-winning energy-saving technology and construction that retains more heat and speed up heating time.

NEW ENERGY EFFICIENT CONSTRUCTION


It is as much as 40 % more energy efficient than a traditional inflatable hot tub.

THERMACORE™ CONSTRUCTION

Rigid thermally insulating foam panels form the main structure of the hot tub instead of being inflatable. Up to 63% more energy efficient than a regular inflatable hot tubs.

NEW ENERGY EFFICIENT CONSTRUCTION + THERMAL COVERS

A pioneering fully integrated thermal layer inside the inflatable liner of new Lay-Z-Spa hot tubs. Up to 58% more energy efficient than a regular inflatable hot tubs.




PUMP TECHNOLOGY

Every Lay-Z-Spa hot tub set comes with a multi-function pump that inflates the hot tub, heats the water and runs the filtration system. Each hot tub is assembled using the pump, no additional tools required!



ULTRAFIT™ PUMP SPACE-SAVING SOLUTION

Some of our Airjet™ hot tub sets feature the UltraFit pump - a multi-function pump that is built directly into the liner. With all of the same functions as our standard pump, the UltraFit version saves valuable outdoor space, expedites the installation process, and looks sleek and modern.



PRODUCT SAFETY

Safety is our top priority when designing and producing our inflatable hot tubs. We are consistently upgrading our products to ensure that consumer safety is never compromised. Currently, Lay-Z-Spa is the only brand on the market that uses this exclusive GDS & GLEDS technology.




GDS

GROUND DETECTION SYSTEM

With safety as a priority, every hot tub is equipped with our advanced, market-leading Ground Detection System, which monitors the energy supply to ensure it is being used safely.

If the system detects an issue, the pump alerts the user and does not allow further use until the power supply is correctly earthed.



GLEDS

GROUND LINE ELECTRIC DETECTION SYSTEM

Once the hot tub is plugged in, the system continuously monitors the ground of the electrical system in the house and will advise the user with the E18 code if there is other electricity detected.

SETUP & MAINTENANCE

WITH THE KEY TOOLS
ALREADY INCLUDED, LAY-Z-
SPA SETUP IS QUICK & EASY!

SET UP

Assemble the hot tub on a flat level surface

Fill with water up to the indicated line

Set your desired temperature and activate heater

Treat the water using ClearWater® chemicals before using

MAINTENANCE

Test & maintain water quality with ClearWater® chemicals

Change the water every 1-3 months

Periodic cleaning with soapy water

In hard water areas, use Lay-Z-Spa Descaler monthly

Also included with each hot tub is a chemical dispenser and filter cartridge to keep the water sparkling. Maintaining clean and healthy hot tub water is important for the user's experience, and also extends the longevity of the hot tub.

For quick and easy transportation and storage, each hot tub is equipped with a deflation function.





STANDARD SERIES

PVC CONSTRUCTION

ESSENTIAL STRENGTH AND COMFORT

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.



CANCUN

AIRJET™

BW60003GB

- Soothing Airjet™ massage system (120 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the spa heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid
- Full colour box



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch, Airjet™ system

SPECIFICATIONS

Water Capacity (80%)	669 L (177 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.32 m (52")
Filled Weight	696 kg (1,534 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 33.93 KG (74.80 LBS)



DURAPLUS™ CONSTRUCTION

The Cancun AirJet's high-resistance DuraPlus™ inner and outer walls offer better insulation, and protection from UV rays for market-leading reliability.



Freeze
Shield™
Technology



Capacity
2-4 People



Power
Saving
Timer



No Tools
Required



Airjet™
Massage
System



40°C Rapid
Heating
System




BORACAY

AIRJET™

BW60175GB

- Soothing AirJet™ bubble massage system (120 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips



DURAPLUS™ MATERIAL - WALL AND TOP RING

The outer surface of this spa is constructed with premium Duraplus™ material, providing superior durability, stretch resistance and structural stability.

DURAPLUS™ CONSTRUCTION

The Boracay AirJet's high-resistance DuraPlus™ inner and outer walls offer better insulation, and protection from UV rays for market-leading reliability.



Freeze Shield™ Technology



Capacity 2-4 People



Wi-Fi Connection




No Tools Required



AirJet™ Massage System



Digital Control Panel



40°C Rapid Heating System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	699 L (177 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.32 m (52")
Filled Weight	696 kg (1,534 lbs)
Rating	220-240V~ 50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 33.93 kg (74.80 lbs)

FIJI

AIRJET™


BW6004UGB

- Soothing AirJet™ bubble massage system (140 jets)
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

CONTENTS: 1 hot tub, 1 pool cover, 4 pillows, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet Plus™ system

SPECIFICATIONS

Water Capacity (80%)	908 L (240gal.)
Inflated Size	1.96 m x 66 cm (77" x 26")
Inner Size	1.48 m (58")
Filled Weight	936 kg (2,064 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water FLOW	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 34.81 KG 76.73 LBS)



DURAPLUS™ CONSTRUCTION

The Fiji AirJet's high-resistance DuraPlus™ inner and outer walls offer better insulation, and protection from UV rays for market-leading reliability.

DURAPLUS™ MATERIAL - WALL AND TOP RING

The outer surface of this spa is constructed with premium Duraplus™ material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Wi-Fi
Connection




No Tools
Required



AirJet™
Massage
System



Digital
Control
Panel



40°C Rapid
Heating
System



IBIZA AIRJET™

BW6002UGB

- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips



ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. Patent-Pending.

TRI-TECH™ MATERIAL

WALL AND TOP RING
The outer surface of this spa is constructed with premium Tri-Tech™ material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Power
Saving
Timer



No Tools
Required




Airjet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



40°C Rapid
Heating
System

CONTENTS: 1 spa, 1 pool cover, 1 spa pump, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch, AirJet™ system



SPECIFICATIONS

Water Capacity (80%)	778 L (205 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.32 m (52")
Filled Weight	807 kg (1,779 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE, GS
Pack / Gross Weight	1 Ea., 37.70 KG (83.11 LBS)

NEW YORK AIRJET™

BW60247GB

- Soothing Airjet™ bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch

SPECIFICATIONS

Water Capacity (80%)	908 L (240 gal.)
Inflated Size	1.96 m x 66 cm (77" x 26")
Inner Size	1.48 m (58")
Filled Weight	940 kg (2,072 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS(TUV-RL)/EAC/CM
Pack / Gross Weight	1 Ea., 39.42 KG (86.91 LBS)

ENERGYSense® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. Patent-Pending.

TRITECH® MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Power
Saving
Timer



No Tools
Required



Airjet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



40°C Rapid
Heating
System

HOLLYWOOD

AIRJET™

BW60059GB

- Soothing AirJet™ massage system (140 jets)
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Remote-controlled plug-in multicoloured LED light shines through the semi-transparent liner to illuminate the water
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced cover with safety lock clips and insulating lid



7 LED LIGHT STRIP

A choice of 7 coloured LED lights.



TRITECH™ MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech™ material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Power
Saving
Timer



No Tools
Required



AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



Padded
Pillows



7 Colour
LED



40°C Rapid
Heating
System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, filter cartridge (VI), 1 ChemConnect™ dispenser, 1 LED light strip, 4 pillows, repair patch, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	908 L (240 gal.)
Inflated Size	1.96 m x 66 cm (77" x 26")
Inner Size	1.48 m (58")
Filled Weight	938 kg (2,068 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/EAC
Pack / Gross Weight	1 Ea., 36.85 KG (81.24 LBS)

FLORENCE

AIRJET™

BW60249GB

- Soothing AirJet™ bubble massage system (140 jets)
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	778 L (205 gal.)
Inflated Size	1.80 m x 1.80 m x 66 cm (71" x 71" x 26")
Inner Size	1.32 m x 1.32 m (52" x 52")
Filled Weight	809 kg (1,783 lbs)
Rating	220-240V-50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 38.01 KG (83.80 LBS)



7 LED LIGHT STRIP

A choice of 7 coloured LED lights.



TRITECH™ MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Power
Saving
Timer



No Tools
Required



AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



7 Colour
LED




Padded
Pillows



40°C Rapid
Heating
System



MAXHOLD SERIES



MAXHOLD™ CONSTRUCTION

PREMIUM AIR RETENTION

MaxHold™ fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.



ROME

AIRJET™

BW6001KGB

- Soothing AirJet™ bubble massage system 140 jets
- Massage regulator provides 2 intensity level options
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 high pressure hand pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	840 L (222 gal.)
Inflated Size	1.80 m x 71 cm (71" x 28")
Inner Size	1.30 m (51")
Filled Weight	873 kg (1,924 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (3-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 40.60Kg (89.51lbs)



ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.

PATENT-PENDING



MAXHOLD™ MATERIAL

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.



TRITECH® MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Smartphone
App



Power
Saving
Timer



No Tools
Required



AirJet™
Massage
System



Multi-Function
Pump



Digital
Control
Panel



40°C Rapid
Heating
System

TUSCANY

SMART AIRJET

BW6004WGB

- Soothing AirJet™ bubble massage system (180 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips



TRITECH® MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



MAXHOLD™ MATERIAL

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.



ENERGYSENSE™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.

PATENT-PENDING



Freeze
Shield™
Technology



Capacity
5-7 People



Smartphone
App



Power
Saving
Timer



No Tools
Required



AirJet™
Massage
System



Multi-Function
Pump



Digital
Control
Panel



40°C
Rapid
Heating
System

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	1,180 L (312 GAL.)
Inflated Size	2.01 m X 2.01 X 71 CM (79" x 79" X 28")
Inner Size	1.51 m X 1.51 m (75" x 75")
Filled Weight	1,219kg (2,687 lbs)
Rating	220-240V ~ 50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0 - 1.5°C/h (2-3°F/h)
Certification	CE/GS/
Pack / Gross Weight	1 Ea., 47.45 kg (104.61 lbs)

MAURITIUS



AIRJET™

BW60067GB-24

- Soothing AirJet™ massage system (180 jets)
- Ultra-strong DuraPlus™ internal beams and outer walls offer superior structural stability
- Maxhold™ beam maintain their shape, intended pressure and sturdiness over time.
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes two cup holders and is accessible from inside the hot tub
- Reinforced cover with safety lock clips and insulating lid
- Air release valve



**NEW WOOD
PRINT DESIGN**



MAXHOLD™ BEAMS

Maxhold™ Internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.

TRITECH™ CONSTRUCTION-WALL AND TOP RING

The Mauritius™ AirJet's outer surface is constructed with premium Duraplus™ material, providing superior durability, stretch resistance and structural stability.

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	1,370 L (362 GAL.)
Inflated Size	2.70 m x 1.80 m X 71 CM (8'11" x 71" X 28")
Inner Size	2.20 m X 1.30 m (7'3" X 51")
Filled Weight	1,408kg (3,104 lbs)
Rating	220-240V~ 50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0 - 1.5°C/h (2-3°F/h)
Certification	CE/GS/eac/cm
Pack / Gross Weight	1 Ea., 49.87 kg (109.94 lbs)



Freeze
Shield™
Technology



Capacity
5-7 People



Wi-Fi
Connection



Power
Saving
Timer



Smartphone
App



No Tools
Required



AirJet™
Massage
System



Digital
Control
Panel




40°C
Rapid
Heating
System

GRENADA

SMART AIRJET


BW6004XGB

- Soothing AirJet™ bubble massage system (190 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips




ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. Patent-Pending.




TRITECH™ CONSTRUCTION- WALL AND TOP RING

The Mauritius™ AirJet's outer surface is constructed with premium Duraplus™ material, providing superior durability, stretch resistance and structural stability.



MAXHOLD™ BEAMS

Maxhold™ Internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	1,440L (380 GAL.)
Inflated Size	2.36 m X 71 CM (93" x 71" X 28")
Inner Size	1.91 m (75")
Filled Weight	1,482kg (3,267 lbs)
Rating	220-240V~ 50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0 - 1.5°C/h (2-3°F/h)
Certification	CE/GS/
Pack / Gross Weight	1 Ea., 51.87 kg (114.35 lbs)



Freeze
Shield™
Technology



Capacity
6-8 People



AirJet™
Massage
System



Multi-
Function
Pump



Smartphone
App



Power
Saving
Timer



Digital
Control
Panel



No Tools
Required



Wi-Fi
Connection



40°C
Rapid
Heating
System

SANTORINI

HYDROJET PRO™

BW6001TGB

Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)




- EnergySense™ insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech™ walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- ColorJet LED lights alternate between 7 different colors
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, 5 pillows, 2 water powered LED lights, filter cartridge (VI), repair kit, HydroJet Pro™ system

SPECIFICATIONS

Water Capacity (80%)	1,190 L (314 gal.)
Inflated Size	2.16 m x 80 cm (85" x 31.5")
Inner Size	1.66 m (65")
Filled Weight	1254 kg (2,765 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE
Pack / Gross Weight	1 Ea., 77.65 KG (171.19 LBS)



ENERGYSense™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.

PATENT-PENDING

MAXHOLD™ MATERIAL

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

TRITECH™ WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech™ material, providing superior durability, stretch resistance and structural stability.



Freeze Shield™ Technology



Capacity 5-7 People



Padded Pillows



Smartphone App



No Tools Required



Digital Control Panel



Integrated Seats



7 Colour LED



HydroJet Pro™ Massage System

MALDIVES

HYDROJET PRO™

BW6001UGB

Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)

- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- ColorJet LED lights alternate between 7 different colors



- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, 5 pillows, 2 water powered LED lights, filter cartridge (VI), repair kit, HydroJet Pro™ system

SPECIFICATIONS

Water Capacity (80%)	1,050 L (277 gal.)
Inflated Size	2.01 m x 80 cm (85" x 31.5")
Inner Size	1.51 m (65")
Filled Weight	1115 kg (2,765 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE
Pack / Gross Weight	1 Ea., 81.29 KG (179LBS)



ENERGYSense™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.

PATENT-PENDING




MAXHOLD™ MATERIAL

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.



TRITECH® MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze Shield™ Technology



Capacity 5-7 People



Padded Pillows



Smartphone App



Multi-Function Pump



Digital Control Panel



Integrated Seats



7 Colour LED



HydroJet Pro™ Massage System

SAN FRANCISCO HYDROJET PRO™


BW6001QGB

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- Jet massage nozzles integrated into the back of the lounges and leg massage integrated into the single lounge
- Massage regulator provides 2 intensity level options
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- ColourJet LED lights alternate between 7 different colours
- Power-saving, timer-controlled heating system

CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), 2 water powered LED lights, repair patch, HydroJet Pro™ system 5 Pillows.

SPECIFICATIONS

Water Capacity (80%)	1,180 L (312 gal.)
Inflated Size	2.30 m x 2.30 m x 71 cm (90.5" x 90.5" x 28")
Inner Size	1.80 m x 1.51 m (71" x 71")
Filled Weight	1,258 kg (2,773 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE
Pack / Gross Weight	1 Ea., 93.85 KG (206.9 LBS)



ENERGYSense™ INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.

PATENT-PENDING

MAXHOLD™ MATERIAL

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

TRITECH® WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



HydroJet
Pro™
Massage
System



Freeze
Shield™
Technology



Capacity
5-7 People



Wi-Fi
Connection



Padded
Pillows



Power
Saving
Timer



Integrated
Seats



7 Colour
LED




40°C Rapid
Heating
System



FORTIFIBER SERIES

FORTIFIBER CONSTRUCTION

Inflated walls made from FortiFiber™ material provide unparalleled strength. Thousands of fine threads securely connect the sidewalls, which seal in air to create a rigid and sturdy hot tub. Not only great for durability, but this also makes the hot tub more spacious on the inside.




HELSINKI

AIRJET™

BW60025GB-24

- Soothing AirJet™ massage system (180 AirJets)
- Stress tested ultra-strong DuraPlus™ walls
- Freeze Shield™ prevents water from freezing in your hot tub's pump so you can safely use your hot tub all year round
- Program the hot tub heater up to 40 days in advance for future use
- Integrated ChemConnect™ chemical dispenser
- Power-saving, timer-controlled heating system
- Foldable digital control panel with integrated filtration system and cup holders
- Reinforced cover with safety lock clips and insulating lid



CONTENTS: 1 hot tub, 1 pool cover, 1 hot tub pump, 1 high pressure hand pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system

SPECIFICATIONS


Water Capacity (80%)	1,123 L (297 gal.)
Inflated Size	1.80 m x 66 cm (71" x 26")
Inner Size	1.70 m (67")
Filled Weight	1,155 kg (2,548 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.0-1.5°C/h (2-3°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 40.13 KG (88.47 LBS)



FORTIFIBER™ MATERIAL

STRENGTH & DURABILITY

The Fortifiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided spa.



40°C Rapid Heating System



Freeze Shield™ Technology



Capacity 5-7 People



Power Saving Timer



Smartphone App



No Tools Required



AirJet™ Massage System



Foot Massage



THERMACORE SERIES

THERMACORE™ CONSTRUCTION

EXCEPTIONAL STABILITY

ThermaCore™ foam construction creates a rigid, firm structure that is exceptionally sturdy and stable. Plus, with built-in foam insulation, it is up to 60% more energy-efficient than its inflatable counterparts.



CARRARA

AIRJET™


BW6001VGB

- Soothing AirJet™ targeted bubble massage system (140 jets)
- Massage regulator provides 2 intensity level options
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- Ultra-strong Tritech® wall cover is stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use with power saving time
- UltraFit™ pump built into the liner with flip-up control panel
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Reinforced safety cover with lock clips

CONTENTS: 1 hot tub, 1 pool cover, 4 pillows, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet Plus™ system

SPECIFICATIONS

Water Capacity (80%)	850 L (225gal.)
Inflated Size	1.70 m x 65 cm (67" x 25.5")
Inner Size	1.5 m (67")
Filled Weight	882 kg (1,945 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (4-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 44.67 KG 98.48 LBS)



THERMACORE™ CONSTRUCTION

ThermaCore™ hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.

TRITECH® MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Smartphone
App



Power
Saving
Timer



No Tools
Required



Padded
Pillows



AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



40°C
Rapid
Heating
System



THERMACORE™ CONSTRUCTION

ThermaCore™ hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.

TRITECH™ MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech™ material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
4-6 People



Smartphone
App



Power
Saving
Timer



No Tools
Required



Padded
Pillows



AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



40°C Rapid
Heating
System

STOCKHOLM AIRJET™

BW60229GB

- Soothing AirJet™ targeted bubble massage system (140 jets)
- Massage regulator provides 2 intensity level options
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- Ultra-strong Tritech™ wall cover is stress tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use with power saving time
- UltraFit™ pump built into the liner with flip-up control panel
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the hot tub
- Reinforced safety cover with lock clips

CONTENTS: 1 hot tub, 1 pool cover, 4 pillows, 1 hot tub pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet Plus™ system

SPECIFICATIONS

Water Capacity (80%)	950 L (251gal.)
Inflated Size	1.64 m x 64.5 cm (67" x 25.5")
Inner Size	1.44 m (56")
Filled Weight	TBD kg (TBD lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.5-2.0°C/h (4-4°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 44.67 KG 98.48 LBS)

TORONTO

AIRJET™

BW6001WGB

- Soothing AirJet™ targeted bubble massage system (180 jets)
- Massage regulator provides 2 intensity level options
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- Ultra-strong Tritech® wall cover is stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use with power saving time
- UltraFit™ pump built into the liner with flip-up control panel
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Reinforced safety cover with lock clips



THERMACORE™ CONSTRUCTION

ThermaCore™ hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.

TRITECH® MATERIAL WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



Freeze
Shield™
Technology



Capacity
5-7 People



Smartphone
App



Massage
Regulation
2 Intensity Levels



Power
Saving
Timer



No Tools
Required



Padded
Pillows




AirJet™
Massage
System



Digital
Control
Panel



Multi-Function
Pump



40°C Rapid
Heating
System

CONTENTS: 1 hot tub, 1 pool cover, 5 pillows
1 hot tub pump, 1 ChemConnect™ dispenser,
filter cartridge (VI), repair kit, Smart AirJet™ system

SPECIFICATIONS

Water Capacity (80%)	1,250 L (331 gal.)
Inflated Size	1.90 m x 70 cm (75" x 27.5")
Inner Size	1.70 m (67")
Filled Weight	1,288 kg (2,840 lbs)
Rating	220-240V~50Hz, 2050W at 20°C (68°F)
Actual Water Flow	1,325 L/h (350 gal./h)
Heating System	Approx. 1.1-1.6°C/h (2.2-3.2°F/h)
Certification	CE/GS
Pack / Gross Weight	1 Ea., 50.57 KG (111.49 LBS)



ACCESSORIES TO COMPLEMENT YOUR LAY-Z-SPA®.

Make maintenance easy and elevate the luxury and comfort of your hot tub with an array of accessory options from Lay-Z-Spa®.



4-IN-1 ACCESSORY TRAY

BW60337

- 33.7 cm x 30.2 cm x 18.15 cm / 13.3" x 11.89" x 7.15"
- Multi-function tray with a table, splash-proof storage compartment, towel hangers and tablet holder
- Legs can be adjusted to a custom width depending on wall thickness - from 5-25 cm (2"-9.8")
- Compatible with all Lay-Z-Spas
- Full colour box
- 2 Ea., 3.59 kg (7.91 lbs)



TABLE

STORAGE COMPARTMENT

TOWEL HANGERS

TABLET HOLDER



LAY-Z-SPA® SEAT

BW60321

- Firm, sturdy spa seat is comfortable for hours of relaxation
- Seat legs can be adjusted to a custom height - from 8-12 cm (3.15-4.72 in)
- Weighted seats remain at the bottom of the hot tub
- Full colour box
- 2 Ea., 6.14 kg (13.54 lbs)





LAY-Z-SPA® DRINKS HOLDER

BW60306

- Keep beverages or snacks close by while you relax
- Position anywhere on the top of hot tub sidewall
- Compatible with all Lay-Z-Spas® (except drop stitch models)
- Includes two drinks holders and one tray
- Full colour box
- 12 Ea., 8.95 kg (19.73 lbs)



LAY-Z-SPA® FOOTBATH

BWA0011


- Wash feet before entering the hot tub
- Helps to prevent dirt and debris from being walked into your hot tub
- Non-slip design provides grip for your feet when entering your hot tub for added safety
- Made from durable and robust material for long lasting use
- Generous size is big enough to fit all feet sizes
- 12 Ea



LAY-Z-SPA® PILLOW

BW60307

- Soft pillow provides head and neck support
- Organic PU foam is 100% waterproof and resistant to chemicals and odours
- Compatible with all Lay-Z-Spas® (except drop stitch models)
- Easy to clean
- Full colour box
- 4 Ea., 3.96 kg (8.73 lbs)
- Contents: 2 pillows



LAY-Z-SPA® PADDED PILLOW

BW60316


- Size: 23 cm x 13 cm x 5 cm (9 in. x 5 in. x 2 in.)
- Ergonomic design provides head and neck support
- Customizable pillow height using the adjustable strap and balance weight to keep it in place
- Compatible with all Lay-Z-Spa® models and most bathtubs
- Comfortable sponge pillow is covered with a washable mesh fabric
- 12 Ea., 4.16 kg (9.17 lbs)
- Contents: 2 pillows



LED FLOATING HOT TUB LIGHT

BW58419

- Beautiful display: 4 super bright LEDs in 4 colours (yellow, red, blue and green) with 7 flashing light modes
- Easy to operate: simply press on button on the top of the ball
- No wiring or outside electrical power required
- Powered by 3xAAA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8' wide and 5' deep
- Shuts off automatically after one hour when not in use
- Full colour box
- 12 Ea., 4.5 kg (9.9 Lb.)



LAY-Z-SPA® UNDERWATER LED LIGHT

BW60303-25

- Uses 3 AAA batteries (not included)
- IP68 waterproof
- LED light alternates between 7 colours
- 2 hours of run time with auto-shutoff feature
- One-touch operation: simply press top button
- Full colour box
- 6 Ea., 0.98 kg (2.16 lbs)



LAY-Z-SPA® SOOTHING LED WATERFALL


BW60322-25

- LED light alternates between 7 colours
- IP66 waterproof rating - protects from powerful streams of water and dust
- 2 hours of run time with auto-shutoff feature
- Magnetic attachment system for easy setup
- One-touch operation: simply press bottom button
- Uses 3 AAA batteries (not included)
- Full colour box
- 4 Ea., 4.22 kg (9.30 lbs)



7 LED LIGHTS

A choice of 7 coloured LED lights.



LAY-Z-SPA® THERMAL COVERS

AN INSULATING COVER SPEEDS UP HEATING TIME AND PREVENTS HEAT LOSS MAKING THE HOT TUB UP TO 40% MORE ENERGY EFFICIENT. THERMAL COVERS COMBINED WITH NEW ENERGYSense™ OR THERMACORE SPAS WILL BOOST ENERGY EFFICIENCY EVEN FURTHER



SAFETY CLIP



REMOVABLE COVER




EASY ACCESS



SECURE STRAP

LAY-Z-SPA® ENERGYSENSE™ THERMAL HOT TUB ROUND COVERS

- Increases energy efficiency of the spa
- DuraPlus™ waterproof surface material increases cover durability
- Zipper door for built-in pump or external pump connection
- Full colour box




ITEM	SIZE	COMPATIBILITY	SPA MODELS	WEIGHT
BW60317	1.80 m x 66 cm / 71" x 26"	Compatible with round spas with diameters of 1.80 m (71") and heights of 66 cm (26")	6001V,60001, 60003, 60025, 60035, 60047, 60065, 60145, 60175,60237, 60245	1 EA., 7.38 KG (16.27 LBS)
BW60318	1.96 m x 71 cm / 77" x 28"	Compatible with round spas with diameters of 1.96 m (77") and heights of 71 cm (28")	6001N, 6001S, 6001W, 60011 60013,60017, 60029, 60059 60089, 60247,600251	1 EA., 7.72 KG (17.02 LBS)
BW60326	2.16 m x 80 cm / 85" x 31.5"	Compatible with round spas with diameters of 2.16 m (85") and heights between 71 cm (28") and 80 cm (31.5")	6001T, 60255	1 EA., 10.42 KG (22.97 LBS)
BW60331	2.36 m x 71 cm / 93" x 28"	Compatible with round spas with diameters of 2.36 m (93") and heights of 71 cm (28")	6004X, 60135	1 EA., 11.60 KG (25.57 LBS)

LAY-Z-SPA® ENERGYSENSE™

THERMAL HOT TUB SQUARE COVERS

- Increases energy efficiency of the spa
- DuraPlus™ waterproof surface material increases cover durability
- Zipper door for built-in pump or external pump connection
- Full colour box



ITEM	SIZE	COMPATIBILITY	SPA MODELS	WEIGHT
BW60319	1.80 m x 1.80 m x 71 cm / 71" x 71" x 28"	Compatible with square spas with lengths of 1.80 m (71") and heights of 71 cm (28")	6001H, 6001K, 6001R, 6002U, 60015, 60093, 60249	1 EA., 7.54 KG (16.62 LBS)
BW60332-26	2.01 m x 2.01 m x 80 cm / 79" x 79" x 31.5"	Compatible with square spas with lengths of 2.01 m (79") and heights of 80 cm (31.5")	6001U, 6004W, 60057	1 EA., 11.13 KG (24.54 LBS)
BW60333	2.30 m x 2.30 m x 71 cm / 90.5" x 90.5" x 28"	Compatible with square spas with lengths of 2.30 m (90.5") and heights of 71 cm (28")	6001Q	1 EA., 12.60 KG (27.78 LBS)





LAY-Z-SPA® CANOPY

BW60304


- 1.83 m x 94 cm x 1.09 m / 6' x 37" x 43"
- Fabric with UV protection
- High density, ventilated mesh windows
- Two removable guy lines to provide stability
- Fits all Lay-Z-Spa® models (except St. Lucia and Vancouver)
- Full colour box
- 3 Ea. 4.09 kg (9.02 lbs)
- Contents: 1 tent, 3 poles, 2 guy lines, 1 storage bag



LAY-Z-SPA® ROUND FLOOR PROTECTOR

BW13222

- 2.11 m x 2.11 m / 83" x 83"
- Square floor protector 40 cm x 50 cm (15.5" x 19.5") mat for hot tub heater
- Durable polyethylene material that provides protection for your hot tub
- Package contains 10 pieces (9 attachable, 1 individual)
- Full colour box
- 4 Ea., 9.89 kg (21.8 lbs)




LAY-Z-SPA® SQUARE FLOOR PROTECTOR

BW60309

- 2.16 m x 2.16 m / 85" x 85"
- Square protector 40 cm x 50 cm (15.5" x 19.5") mat for hot tub heater
- Durable polyethylene material that provides protection for your hot tub
- Package contains 10 pieces (9 attachable, 1 individual)
- Compatible with all Lay-Z-Spa® hot tubs smaller than 2.16 m (85")
- Shrink wrapped with insert card
- 4 Ea., 10.48 kg (23.10 lbs)





LAY-Z-SPA® LIME DE-SCALING TOOL

BW60343

- ABS plastic material
- Compatible with all the Lay-Z-Spa pumps thanks to multiple connectors
- Openable cap on the top part to prevent water leakage
- Full Colour Box
- 12Ea.,



800 GAL DRAIN PUMP

BW58230GB-24

- Pumps 800gal (3,028L) per hour, 220-240V~50Hz, 85W
- Quick and easy way to drain your pool/spa water
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 5m (16.4') long, 3.2cm (1.25") diameter
- Includes two adaptors to connect garden hose
- CE approved
- 4 Ea, 13.1kg (28.9Lb)



RECHARGEABLE UNDERWATER VACUUM BW60327

Rechargeable battery-powered pump creates suction, without the use of hoses or electrical cords

- Consistent performance for 50 minutes
- Charge time: 4-5 hours
- Simple press-button operation
- Ideal for spas and small pools
- Pivoting suction head with wheels and brushes
- Debris is collected in an easy-to-access and
- Easy-to-empty stainless steel filter
- Full colour box
- 4 Ea., 4.70 kg (10.36 lbs)



TWO-SECTION POLE
with total reach of approximately
1.55 m / 5.1'

TRANSPARENT BODY
shows debris level

RECHARGEABLE
plug, charge, and clean!

PIVOTING SUCTION HEAD



VINYL REPAIR KIT

BWA0010

- 15cm x 10cm patch x 1
- 3 size circle patches 40mm, 70mm & 100mm x 3 of each
- Application tool
- 60ml glue
- Full colour box
- 12/48 Qty

LAY-Z-SPA® ALL-IN-ONE TOOL SET

BW60310

Scoop:

- Bumper protects hot tub surface
- Round shaped design fits the contours of the hot tub interior
- Deep net to collect debris
- Handheld or connects to standard telescopic pole

Brush:

- Bumper and nylon bristles protect hot tub's surface
- Handheld or connects to standard telescopic pole

Scrubbing Mitt:

- Scrub along hot tub water line
- Latex glove bonded with scrubber pad
- Full colour box
- 8 Ea., 7.3 kg (16.09 lbs)

Contents: 1 scoop, 1 brush, 1 scrubbing mitt





FILTER CARTRIDGE VI BOX (12 PACK)

BW15196

- 10.6cm x 8.0cm / 4.2" x 3.1"
- Easy to clean
- Contains 12 filter cartridges
- Replacement cartridge for Lay-Z-Spa®
- 1 Set., 2.79 kg (6.15 lbs)
- Contents: 6 x twin packs



FILTER CARTRIDGE VI (2 PACK)

BW60311

- 10.6 cm x 8.0 cm / 4.2" x 3.1"
- Easy to clean
- Replacement cartridge for Lay-Z-Spa®
- Shrink wrapped with insert card
- 6 Ea., 2.79 kg (6.15 lbs)
- Contents: 2 filter cartridges



5" CHEMICAL FLOATER

BW58210-24

- 12.7cm / 5"
- Dispenses 2.5cm (1") chemical tablets, adjustable dial to control the release of chemicals
- No tablets included
- Colour insert card
- 24 Ea., 2.1 kg (4.7 lbs)





LAY-Z-SPA® POLYCARBONATE WINE GLASS

BWA0006

- 4pc Polycarbonate wine glasses
- Glass washer/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and Drink approved material
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 312ml
- Product size: L18.8cm x W8.1cm
- Packaging: Full colour box
- 8 Ea



LAY-Z-SPA® POLYCARBONATE BEER GLASS

BWA0007

- 4pc Polycarbonate beer glasses
- Glasswasher/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and Drink approved material
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 420ml
- Product size: L17.9cm x W7.3cm
- Packaging: Full colour box
- 8 Ea



LAY-Z-SPA® POLYCARBONATE CHAMPAGNE FLUTE

BWA0008

- 4pc Polycarbonate champagne flutes
- Glasswasher/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and Drink approved material
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 187ml
- Product size: L21.9cm x W6.7cm
- Packaging: Full colour box
- 8 Ea



LAY-Z-SPA® POLYCARBONATE TUMBLER

BWA0009

- 4pc Polycarbonate tumbler glasses
- Glass washer/dishwasher safe
- Virtually unbreakable and completely shatter proof
- Food and Drink approved material,
- Conforms to the Materials and articles in Contact with Food (England) Regulations 2012 including (EU) No 10/201
- Reusable and recyclable
- Made in UK
- Capacity: 340ml
- Product size: L15.7cm x W6.3cm
- Packaging: Full colour box
- 8 Ea

ICE BATH SERIES

TAKING THE PLUNGE INTO ICE BATHS

RESTORE, REJUVENATE, RECHARGE

Backyard ice baths offer a portable design and durable construction that is great for both newbies and experts.



GLACIAL DIP™

ICE BATH POD

BW6003PGB

TRITECH® MATERIAL SIDEWALLS



The outer surface of this ice bath is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



- Tritech® puncture-resistant sidewalls are reliable against weight, strain and movement
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- Corrosion-resistant galvanized steel frame with frosted finish
- Setup takes 20 minutes with 1-2 people
- Standard cover with rope fastener
- Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m³/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m³/h)
- Drain valve

CONTENTS

- 1 ice bath
- 1 filter pump
- 1 filter cartridge (l)
- 1 cover
- 1 repair patch



FEATURES




POLAR-SHIELD™



CAPACITY
1 PERSON



NO TOOLS
NEEDED



SPECIFICATIONS

WATER CAPACITY (75%)	253 L (67 gal.)
PRODUCT SIZE	90 cm x 80 cm (35.5" x 31.5")
POOL DEPTH	60 cm (23.5")
FILLED WEIGHT	259 kg (571 lbs)
CERTIFICATION	CE
PACK/GROSS WEIGHT	2 Ea., 18.21 kg (40.15 lbs)

GLACIAL DIP™

ICE BATH TUB

BW6003QGB

TRITECH® MATERIAL

SIDEWALLS


The outer surface of this ice bath is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

- Tritech® puncture-resistant sidewalls are reliable against weight, strain and movement
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- Corrosion-resistant galvanized steel frame with frosted finish
- Setup takes 30 minutes with 1-2 people
- Standard cover with rope fastener
- Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m³/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m³/h)
- Drain valve



CONTENTS

- 1 ice bath
- 1 filter pump
- 1 filter cartridge (I)
- 1 cover
- 1 repair patch



FEATURES



POLAR-SHIELD™



CAPACITY
2 PERSON



NO TOOLS
NEEDED

SPECIFICATIONS

WATER CAPACITY (75%)	431 L (114 gal.)
PRODUCT SIZE	1.50 m x 90 cm x 65 cm (59" x 35.5" x 25.5")
POOL DEPTH	49 cm (19")
FILLED WEIGHT	440 kg (971 lbs.)
CERTIFICATION	CE
PACK/GROSS WEIGHT	2 Ea., 23.90 kg (52.69 lbs)






GLACIAL DIP™

ICE BATH TUB PRO

BW6002QGB

FORTIFIBER™ MATERIAL




SIDEWALLS

The FortiFiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided bath.

- FortiFiber™ drop stitch walls are rigid, durable and lightweight
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- Takes 5 minutes to inflate by hand pump with 1 person
- Reinforced Tritech® cover with locking clips
- Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m³/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m³/h)
- Quick inflation / deflation air valve

CONTENTS

- 1 ice bath
- 1 filter pump
- 1 filter cartridge
- 1 cover
- 1 carry bag
- 1 hand pump
- 1 repair patch



FEATURES



SPECIFICATIONS

WATER CAPACITY	420 L (111 gal.)
PRODUCT SIZE	1.52 m x 92 cm x 71 cm (60" x 36" x 28")
INNER SIZE	1.28 m x 68 cm (50" x 27")
POOL DEPTH	52 cm (20")
FILLED WEIGHT	434 kg (957 lbs)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 18.52 kg (40.83 lbs)

ClearWater®

For simple and easy maintenance of your hot tub, CLEARWATER® has a range of chemical options to choose from.



MULTI-AWARD
WINNING RANGE.

UK Pool & Spa Awards
2018, 2019 & 2023.



AVERAGE RATING OF 4.6/5
ACROSS 90,000 REVIEWS.

According to verified reviews from stockists
as of 7th July 2022.



ADHERES TO ALL EU
GUIDELINES &
REGULATIONS.



HOT TUB STARTER KIT

CH0018

- 500g Chlorine Granules
- 500g pH Plus
- 500ml Foam Remover
- 700g pH Minus
- 25 Test Strips
- Spa Treatment Guide
- 6 Ea



1KG CHLORINE GRANULES

CH0010

- Disinfects pool and hot tub water to keep it free from bacteria
- Easy-to-use rapid dissolving granules
- 6Ea



5KG CHLORINE GRANULES

CH0040

- Disinfects pool and hot tub water to keep it free from bacteria
- Easy-to-use rapid dissolving granules
- 4 Ea



5KG CHLORINE GRANULES

CH0004

- Disinfects pool and hot tub water to keep it free from bacteria
- Easy-to-use rapid dissolving granules
- 4Ea



FAST ACTION TABS

CH0022-5.1

- Includes 167 x 3g tablets
- Fast dissolving chlorine tablets allow precision dosing and easy handling benefits
- Minimal impact on pH levels
- 12Ea



1KG MULTI FUNCTION CHLORINE TABLETS

CH0019

- Includes 50 x 20g tablets
- Slow release chlorine, algaecide and clarifier
- Suitable for use in chemical floaters 58210, 58071 and ChemConnect™ dispenser
- 6 Ea



5KG MULTI FUNCTION CHLORINE TABLETS

CH0041

- Includes 250 x 20g tablets
- Slow release chlorine, algaecide and clarifier
- Suitable for use in chemical floaters 58210 & 58071 and ChemConnect™ dispenser
- 4 Ea

1KG pH PLUS

CH0005

- Increases pH level of hot tub water
- Maintains comfortable pH levels for the skin
- Enables chlorine treatment to work more effectively
- 6 Ea



1.5KG pH MINUS

CH0008

- Decreases pH level of hot tub water
- Maintains comfortable pH levels for the skin
- Enables chlorine treatment to work more effectively
- 6 Ea



1KG TA PLUS

CH0030

- Increases total alkalinity of pool and hot tub water
- 6 Ea



1LTR ALGAECIDE

CH0006

- For the treatment and prevention of algae growth
- 6 Ea



1LTR CLARIFIER

CH0009

- Binds small particles together to enable them to be filtered
- Prevents hot tubs & pool water from looking dull
- Helps keep hot tubs & pool water sparkling AND clear
- 6 Ea



1LTR FOAM REMOVER

CH0007

- To prevent and control excess foam in hot tub water
- 6 Ea





1LTR CARTRIDGE CLEANER

CH0031

- Removes oils and greases from cartridges
- Restores filter efficiency
- Cleans up to 20 filters
- 6 Ea



1LTR SCALE & STAIN CONTROLLER

CH0021

- For the prevention and removal of lime scale and stains
- Especially useful in hard water areas
- Also used for the removal and control of metal stains
- 6 Ea



500ML ANTI BAC VINYL CLEANER

CH0045

- External vinyl surface cleaner
- Anti Bacterial
- Effectively removes dirt and stains
- 6 Ea





25 DIP TESTS

CH0012

- Includes 25 x dip test strips
- Simply dip into the water and remove to test chemical levels
- Easy-to-read colour scale to check results
- Indicates chlorine, pH & alkalinity levels
- 10 / 100



100 DIP TESTS

CH0057

- Includes 100 x dip test strips
- Simply dip into the water and remove to test chemical levels
- Easy-to-read colour scale to check results
- Indicates chlorine, pH & alkalinity levels
- 10 / 100



50 DIP TESTS

CH0043

- Includes 50 x dip test strips
- Simply dip into the water and remove to test chemical levels
- Easy-to-read colour scale to check results
- Indicates chlorine, pH & alkalinity levels
- 10 / 100




MEASURING SET

CH0032

- 2 measuring jugs
- 1 mixing rod
- 3 measuring spoons
- 5ml, 10ml & 50ml
- 12 Ea





MIRACLE CLEANING PAD (3 PACK)

CH0025

- Clean all areas of your hot tub & pool without the use of chemicals or detergents
- For use above and below the waterline
- 3 Ea Pack
- 16/64



MIRACLE CLEANING PAD (24 PACK DISPLAY)

CH0026

- Clean all areas of your hot tub & pool without the use of chemicals or detergents
- For use above and below the waterline
- 24 Ea Display Box
- 24/96



ABSORBABALL

CH0046

- Effectively removes oils and dirt from the surface of your hot tub or pool
- Wash and reuse
- Floats on the surface of your hot tub or pool
- 3 Ea
- 12/36



CHEMICAL DISPLAY STAND

PM0079

- Display stand, supplied empty.
- Size: H:164cm, W:64cm, D:31cm
- 1 Ea



DEAD SEA SALTS FOR HOT TUBS



1KG EXOTIC COCONUT & VANILLA DEAD SEA SALT

CH0033

- 100% Dead Sea Salts
- Vegan Friendly
- Relaxes Muscles
- Not tested on Animals
- Zip Lock Bag to retain freshness
- 12 Ea





DEAD SEA SALTS FOR HOT TUBS



1KG CALMING LAVENDER DEAD SEA SALT

CH0034

100% Dead Sea Salts

- Vegan Friendly
- Relaxes Muscles
- Not tested on Animals
- Zip Lock Bag to retain freshness
- 12 Ea



DEAD SEA SALTS FOR HOT TUBS



1KG RE-ENERGISING EUCALYPTUS DEAD SEA SALT

CH0035

- 100% Dead Sea Salts
- Vegan Friendly
- Relaxes Muscles
- Not tested on Animals
- Zip Lock Bag to retain freshness
- 12 Ea



SALES CONTACT

UK SALES CONTACT

Please see the map on left to find the sales manager for your area

MIKE GASCOIGNE

Senior National Accounts Manager
07970 578883
mike.gascoigne@wiltonbradley.com

PETE MINCH

Senior National Accounts Manager
07939 231084
pete.minch@wiltonbradley.com

SHAUN BOWDEN

Key Accounts Manager
07415120501
shaun.bowden@wiltonbradley.com

LAETITIA WESTERMAN

Sales Director
07894 098627
laetitia.westerman@wiltonbradley.com

SALES ENQUIRIES

UK SALES OFFICE

03333 010399
sales@wiltonbradley.com

HONG KONG OFFICE CONTACT

WINGI CHAU

General Manager
+852 3468 8002
wingi@wiltonbradley.com.hk

Wilton Bradley (Hong Kong) Limited
409-410 4th Floor, New East Ocean Centre
9 Science Museum Rd
Tsim Sha Tsui East
Hong Kong

HEAD OFFICE CONTACTS

TOM ELLYATT

Marketing and Ecommerce Director
01626 835400
tom.ellyatt@wiltonbradley.com

ROSS BRADLEY

Commercial Director
07725 836155
ross.bradley@wiltonbradley.com

GENERAL ENQUIRIES

Tel: 01626 835400



Bestway

Registered address: 8 Wentworth Road, Heathfield Ind Est, Newton Abbot, Devon, UK TQ12 6TL
Company number 08476216. Design rights © Wilton Bradley Ltd. Wilton Bradley (Hong Kong) Ltd,
Unit 409-410 4/F, New East Ocean Centre, 9 Science Museum Road, Tsim Sha Tsui, Kowloon, Hong Kong.



Bestway

LAY-Z-SPA.



WILTON BRADLEY LTD
8 Wentworth Road, Heathfield Ind Est,
Newton Abbot, Devon TQ12 6TL
Tel: 01626 835400
Fax: 01626 836656
Email: sales@wiltonbradley.com
www.wiltonbradley.com

OUR AIM IS TO PROVIDE OUR CUSTOMERS WITH:

- Prompt delivery nationwide
- Competitive prices
- Huge range of quality products
- Friendly and efficient service

Minimum carriage paid order £400.00. You are welcome to come and visit our showroom by prior arrangement.

E&OE